

ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	<p><b><u>PROPOSED ADMINISTRATION BLOCK FOR DEPARTMENT OF AGRICULTURE,LIVESTOCK AND FISHERIES AND BUSINESS,ENERGY AND INDUSTRY</u></b></p> <p><b><u>BILLS OF QUANTITIES</u></b></p> <p><b><u>SECTION NO. 2</u></b></p> <p><b><u>MAIN BLOCK</u></b></p> <p><b><u>ELEMENT NO.1</u></b></p> <p><b><u>SUBSTRUCTURE</u></b></p> <p><u>(All Provisional)</u></p> <p><u>NOTES</u></p> <p>1 The Tenderer's attention is drawn to the Preliminaries Contract Particulars Clause 8.0 which states that the Standard Method of Measurement is the June 2008 Edition. Per Clause D5(g) of this S.M.M <b>all excavations in this BoQ have been measured NET and no allowance has been made for working space and the tenderer is shall price for the excavations accordingly.</b></p> <p>2 Cement for all Structural Works in these Bills of Quantities shall strictly be <b>Grade 32.5</b></p> <p>3 Cement for Non-Structural Works in these Bills of Quantities shall be <b>Grade 32.5</b></p> <p>4 All Reinforcement in these Bills of Quantities shall be to BS 4449:1997 with the following characteristic; a) <b>Grade 460 B high strength type 2 Ribbed bars with proof stress of 460N/mm<sup>2</sup></b>; allow for cutting, bending, hoisting and fixing including all necessary trying wires and spacer stools;</p>					

ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	<u>SUBSTRUCTURES (CONT'D)</u>					
	<u>Excavations &amp; Earthworks</u>					
A	Excavate to remove top vegetable soil average 150mm deep; remove from site	m2	298			
B	Excavate to reduce levels, not exceeding 1.5 m deep from stripped level	m3	134			
C	Excavate for strip foundations not exceeding 1.5 m deep from reduced level	m3	82			
D	Ditto for Column Bases not exceeding 1.5 m deep from reduced level	m3	46			
E	Allow for keeping excavations free from water by baling or pumping as required including provision of drains, etc., as described	Item	1			
F	Allow for maintaining and supporting sides of excavations and for keeping free from fallen materials as described	Item	1			
	<u>Disposal</u>					
G	Backfilling around foundations & columns	m3	12			
H	Load and cart away surplus spoil	m3	82			
	<u>Imported filling</u>					
I	300mm Thick approved hardcore under floor bed well compacted	m2	298			
J	40mm Thick Murram or quarry dust blinding to hardcore	m2	298			
	<u>Carried to Collection</u>				Kshs.	

ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	<u>SUBSTRUCTURES (CONT'D)</u>					
	<u>Damp proof membrane as described :-</u>					
A	1000 Gauge polythene sheet dampproof membrane to horizontal surfaces	m2	298			
	<u>Anti-termite treatment</u>					
B	Chemical anti-termite treatment executed by an approved specialist under a ten-year guarantee to horizontal surfaces of the floor slab and around the plinth, e.t.c.	m2	298			
	<u>Concrete Class ( 1:3:6 ) in 50mm thick blinding under :-</u>					
C	Strip foundations for masonry walling	m2	77			
D	Column bases	m2	47			
	<u>Vibrated reinforced concrete class 25 in:</u>					
E	Colum Bases	m3	13			
F	Columns	m3	3			
G	Strip foundations	m3	15			
H	Ground beams	m3	8			
I	150 mm Thick slab	m2	298			
	<b><u>Reinforcement</u></b>					
	<u>Reinforcement to BS 4449:1997 with the following characteristic; a) Grade 460 B high strength type 2 Ribbed bars with proof stress of 460N/mm<sup>2</sup>; allow for cutting, bending, hoisting and fixing including all necessary trying wires and spacer stools</u>					
J	Assorted Bars	Kg	3,100			
	<u>Carried to Collection</u>				Kshs.	

ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	<u>SUBSTRUCTURES (CONT'D)</u>					
	<u>Steel mesh fabric reinforcement to B.S. 4483</u>					
A	Ref. A142 Layer of fabric mesh reinforcement laid in bed with 150mm side and end laps	m2	298			
	<u>Sawn formwork to:</u>					
B	Sides of column bases	m2	48			
C	Sides of column	m2	46			
D	Sides of strip foundations	m2	51			
E	Sides of ground beams	m2	70			
F	Edges of floor beds 150 - 225mm high	m	112			
	<u>Quarry dressed natural stone walling in cement sand mortar (1:3) with minimum crushing strength of 7.0 N/mm<sup>2</sup></u>					
G	200mm Thick walling	m2	149			
	<u>1000 Gauge polythene sheet damp proof course laid on and including cement sand (1:3) levelling screed</u>					
H	200mm Wide	m	135			
	<u>Cement sand ( 1:4 ) render to :-</u>					
I	12mm Thick render to wall externally	m2	28			
	<u>Prepare and apply two coats of bituminous paint to :-</u>					
J	Rendered walls externally	m2	28			
	<u>Carried to Collection</u>				Kshs.	

ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	<u>COLLECTION</u>  Page No. 2/1  Page No. 2/2  Page No. 2/3					
	<u>TOTAL FOR SUBSTRUCTURES CARRIED TO SUMMARY</u>			KSHS.		

ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	<b><u>PROPOSED ADMINISTRATION BLOCK FOR DEPARTMENT OF AGRICULTURE,LIVESTOCK AND FISHERIES AND BUSINESS,ENERGY AND INDUSTRY</u></b>					
	<b><u>BILLS OF QUANTITIES</u></b>					
	<b><u>SECTION NO. 2</u></b>					
	<b><u>MAIN BLOCK ELEMENT NO.2</u></b>					
	<b><u>RC SUPERSTRUCTURE</u></b>					
	<u>Concrete Class 25mm in:-</u>					
A	Columns	m3	8			
	<u>Concrete Class 25mm in:-</u>					
B	Beams	m3	7			
C	Ring Beams	m3	6			
D	150mm Thick suspended slab	m2	298			
	<b><u>Reinforcement; as before described</u></b>					
D	Assorted Bars	Kg	6,570			
	<u>Sawn formwork to :-</u>					
E	Vertical sides of columns	m2	172			
F	Sides and soffites of beams	m2	156			
G	Soffites suspended slab	m2	298			
H	Edge of suspended slab 150 - 225 mm high	m	112			
	<b><u>TOTAL FOR RC SUPERSTRUCTURE CARRIED TO SUMMARY</u></b>					

ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	<p><b><u>PROPOSED ADMINISTRATION BLOCK FOR DEPARTMENT OF AGRICULTURE,LIVESTOCK AND FISHERIES AND BUSINESS,ENERGY AND INDUSTRY</u></b></p> <p><b><u>BILLS OF QUANTITIES</u></b></p> <p><b><u>SECTION NO. 2</u></b></p> <p><b><u>MAIN BLOCK</u></b></p> <p><b><u>ELEMENT NO.3</u></b></p> <p><b><u>REINFORCED CONCRETE STAIRCASE</u></b></p> <p><i>Note : Paint for entire project to be 1st Quality Crown, Sadolin, or equal and approved</i></p> <p><b><u>The Following in 1NO. Staircase</u></b></p> <p><u>Vibrated reinforced concrete class 20 in:-</u></p>					
A	Staircase	m3	3			
B	100 mm Thick landings	m2	4			
	<b><u>Reinforcement; as before described</u></b>					
C	Assorted Bars	Kg	400			
	<u>Sawn formwork to:-</u>					
D	Soffites of sloping slabs	m2	14			
E	Soffites of suspended slabs	m2	14			
F	Vertical risers 150 -225mm high	m	25			
	<u>Carried to Collection</u>				Kshs.	

ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	<u>STAIRCASE (CONT'D)</u>					
A	Edge of slab 150 - 225mm ditto	m	4			
B	Sloping edge of steps cut to profile of steps 140mm extreme width	m	12			
	<u>STAIRCASE FINISHES</u>					
	<u>Cement and sand (1:4) screed trowelled smooth: beds to receive flooring</u>					
C	20mm Thick	m2	25			
	<u>Cement Sand ( 1:1:6 ) plaster</u>					
D	12mm Thick plaster to concrete surfaces	m2	25			
	<u>Supply and fix with and including Sika Ceramic 100g grey adhesive and grouting with Sika tile grout and pointing to match. Rate to include breakage and cutting waste</u>					
E	Ceramic tiles	m2	25			
F	240 mm wide treads	m	28			
G	130 mm high risers	m	28			
H	200 mm wide edge and top	m	7			
I	Edge of steps cut to profile of steps 173mm extreme width	m	12			
J	100mm Wide skirting	m	14			
	<u>Carried to Collection</u>			Kshs.	-	



ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	<u>STAIRCASE (CONT'D)</u>					
	<b><u>Painting</u></b>					
	<u>Prepare and apply three coats of first quality matt emulsion paint to:-</u>					
A	Plastered surfaces	m2	42			
	<b><u>Balustrading</u></b>					
B	900 mm High balustrading comprising 60 mm diameter mil steel handrail welded on and including 25mm diameter mild steel vertical balusters: per flight of each staircase: one end of baluster built into mortice in concrete with and including mild steel sleeve: 25 mm diameter mild steel horizontal mid rails fixed to balusters with fixing clips: all welded joints ground to a smooth and even finish and polished to approval ; primed before fixing	m	45			
	<u>Touch up primer,prepare and apply three coats of gloss oil paint to</u>					
C	Balustrades, both sides measured flat	m2	41			
	<u>Carried to Collection</u>					
	<u>COLLECTION</u>					
	Page No. 2/1					
	Page No. 2/2					
	Page No. 2/3					
	<b><u>TOTAL FOR RC STAIRCASE CARRIED TO SUMMARY</u></b>				<b>KSHS.</b>	

ITEM NO.	DESCRIPTION	UNIT	QTY.	RATE	KSHS.	CTS.
	<u><b>PROPOSED ADMINISTRATION BLOCK FOR DEPARTMENT OF AGRICULTURE,LIVESTOCK AND FISHERIES AND BUSINESS,ENERGY AND INDUSTRY</b></u>					
	<u><b>BILLS OF QUANTITIES</b></u>					
	<u><b>SECTION NO. 2</b></u>					
	<u><b>MAIN BLOCK</b></u>					
	<u><b>ELEMENT NO. 5</b></u>					
	<u><b>EXTERNAL WALLS</b></u>					
	<u>Approved local natural stonework; squared and machine dressed;bedded in cement mortar (1:4); reinforced with 25mm wide x 20mm gauge hoop iron strapping every alternate course</u>					
A	200mm Thick walls	m2	496			
	<u><b>Damp proof course</b></u>					
B	200mm Wide	m	162			
	<u>Carried to Collection</u>					
				Kshs.		

ITEM NO.	DESCRIPTION	UNIT	QTY.	RATE	KSHS.	CTS.
	<u>EXTERNAL WALLS (CONT'D)</u>					
	<u>COLLECTION</u>					
	Page No. 2/1					
	<u>TOTAL FOR EXTERNAL WALLS CARRIED TO SUMMARY</u>				KSHS.	

ITEM NO.	DESCRIPTION	UNIT	QTY.	RATE	KSHS.	CTS.
	<b><u>PROPOSED ADMINISTRATION BLOCK FOR DEPARTMENT OF</u></b>					
	<b><u>BILLS OF QUANTITIES</u></b>					
	<b><u>SECTION NO. 2</u></b>					
	<b><u>ELEMENT NO. 6</u></b>					
	<b><u>INTERNAL WALLS</u></b>					
	<u>Approved local natural stonework; squared and machine dressed;bedded in cement mortar (1:4); reinforced with 25mm wide x 20mm gauge hoop iron strapping every alternate course</u>					
A	200mm Thick walls	m2	180			
B	100mm Thick walls	m2	75			
	<b><u>Damp proof course</u></b>					
C	200mm Wide	m	60			
D	100mm Wide	m	25			
	<b><u>TOTAL FOR INTERNAL WALLS CARRIED TO SUMMARY</u></b>					
				<b>KSHS.</b>		

ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	<p><b><u>PROPOSED ADMINISTRATION BLOCK FOR DEPARTMENT OF AGRICULTURE,LIVESTOCK AND FISHERIES AND BUSINESS,ENERGY AND INDUSTRY</u></b></p> <p><b><u>BILLS OF QUANTITIES</u></b></p> <p><b><u>SECTION NO. 2</u></b></p> <p><b><u>ELEMENT NO.4</u></b></p> <p><b><u>ROOF CONSTRUCTION, COVERINGS AND RAINWATER DISPOSAL</u></b></p> <p><b><u>ROOF CONSTRUCTION</u></b></p> <p><u>The following in sawn softwood timber including fabricating, hoisting and fixing in position approximately 12,000mm above ground floor level as per Structural Engineer's drawing</u></p> <p><u>Sawn cypress</u></p> <p><u>Rates to include all necessary bolting and/or nailing</u></p>					
A	100 x 50 mm rafters	m	446			
B	100 x 75 mm Tie beams	m	183			
C	150 x 100 mm Wall plate	m	110			
D	75 x 50 mm Purlins	m	246			
E	75 x 50 mm Strut & Ties	m	346			
	<u>Carried to Collection</u>				Kshs.	

ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	<u>ROOF(CONT'D)</u>					
	<u>Wrot treated prime grade cypress</u>					
A	38mm thick tongued and grooved eaves filling V-jointed and secretly nailed onto and including 50mm x 50mm sawn cypress brackets with mosquito wire gauze in between	m	110			
B	225mm x 38mm thick fascia board fixed onto ends of rafters	m	110			
	<u>ROOF COVERINGS</u>					
C	Roof covering as 28 gauge versatile roofing Sheet including roof vents to suppliers recommendations	m2	438			
D	ridge board to match roof sheet	m	42			
E	600 mm wide ditto valley flashing four times bent	m	124			
F	Extra over roofing sheet for raking cutting	m	68			
	<u>Prepare surfaces and apply one coat of aluminium wood primer and two finishing coats of gloss oil paint on:</u>					
G	General wood surfaces	m2	34			
H	Wood surfaces 200 - 300mm girth	m	21			
	<u>Carried to Collection</u>				Kshs.	

ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	<u>ROOF(CONT'D)</u>					
	<u>Rainwater goods</u>					
A	200mm wide x 200mm deep (600mm girth ) Reinforce concrete gutter fixed onto the wall as directed by the Architect.	m	110			
B	Extra over ditto for stopped ends	No.	8			
C	Ditto for forming 150mm x 150mm hole for down pipe	No.	8			
D	150mm x 150mm prepainted gauge 24 galvanised iron rain water down pipe fixed onto walls with approved mild steel support brackets at 1,000mm centres	m	52			
	<u>Carried to Collection</u>				Kshs.	

ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	(ROOF CONT'D)					
	<u>Eaves finishes</u>					
D	50X50mm brandering	lm	110			
E	PVC bonding to eave	m2	66			
	<u>COLLECTION</u>					
	Page No. 2/1					
	Page No. 2/2					
	Page No. 2/3					
	Page No. 2/4					
	<u>TOTAL FOR ROOF CARRIED TO SUMMARY</u>				<b>KSHS.</b>	



ITEM NO.	DESCRIPTION	UNIT	QTY.	RATE	KSHS.	CTS.
	<p><b><u>PROPOSED ADMINISTRATION BLOCK FOR DEPARTMENT OF AGRICULTURE,LIVESTOCK AND FISHERIES AND BUSINESS,ENERGY AND INDUSTRY</u></b></p> <p><b><u>BILLS OF QUANTITIES</u></b></p> <p><b><u>SECTION NO. 2</u></b></p> <p><b><u>ELEMENT NO. 7</u></b></p> <p><b><u>WINDOWS</u></b></p> <p><b><u>ALLUMINIUM WINDOWS</u></b></p> <p><u>Supply and fix the following Alluminium windows complete with all necessary cutting and ironmongery ; All as per the architect's Schedule of windows</u></p>					
A	Size 5100 x 1500 mm high(W1)	No.	6			
B	Ditto 600 x 600 mm high(W2)	No.	8			
C	Ditto 1200 x 1500 mm high(W3)	No.	14			
D	Ditto 3800 x 1500 mm high(W4)	No.	2			
	<u>Carried to Collection</u>				Kshs.	

ITEM NO.	DESCRIPTION	UNIT	QTY.	RATE	KSHS.	CTS.
<b><u>WINDOWS (CONT'D)</u></b>						
<u>Precast concrete weathered and throated window cills</u>						
A	Window cill over all size 275 x 100 mm high with 3 No	m	56			
B	Prepare and apply three coats gloss paint	m2	122			
<u>Carried to Collection</u>				Kshs.		
<u>COLLECTION</u>						
Page No. 2/1						
Page No. 2/2						
<b><u>TOTAL FOR WINDOWS CARRIED TO SUMMARY</u></b>				<b>KSHS.</b>		

ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	<p><b><u>PROPOSED ADMINISTRATION BLOCK FOR DEPARTMENT OF AGRICULTURE,LIVESTOCK AND FISHERIES AND BUSINESS,ENERGY AND INDUSTRY</u></b></p> <p><b><u>BILLS OF QUANTITIES</u></b></p> <p><b><u>SECTION NO. 2</u></b></p> <p><b><u>ELEMENT NO. 8</u></b></p> <p><b><u>DOORS</u></b></p> <p><b><u>Pannel Doors</u></b></p>					
A	1500x2400mm high double pannel door;50x150mm top and middle frames and stiles;50x200mm bottom frame;infilled with 50mm thick moulded pannel.(D1)	No.	4			
B	Ditto;900x2400mm high(D2)	No.	20			
	<p><u>Frames</u></p> <p><u>Sawn softwood frame</u></p>					
C	150 x 30 mm Thick frames with two labours	m	138			
	<u>Carried to Collection</u>			Kshs.		

ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	<u>DOORS (CONT'D)</u>					
A	80 x 20 mm Architraves with two labours	m	138			
	<u>Ironmongery</u>					
	<u>Supply and fix the following ironmongery as applicable or equal and approved ironmongery with matching</u>					
B	100 mm Mild Steel Butt Hinges	Prs	72			
C	Two lever mortice lock including 2 No. Lever Handles	Set	20			
D	Three lever mortice lock including 2 No. Lever Handles	Set	4			
	<u>Painting and decorating</u>					
	<u>Prepare and apply three coats matt emulsion paint to</u>					
E	Timber surfaces	m2	110			
F	Surfaces 100 - 200 mm girth	m	24			
	<u>Touch up primer,prepare and apply three coats of gloss oil paint to</u>					
G	Metal surfaces	m2				
	<u>Carried to Collection</u>				Kshs.	
	<u>COLLECTION</u>					
	Page No. 2/1					
	Page No. 2/2					
	<b><u>TOTAL FOR DOORS CARRIED TO SUMMARY</u></b>				<b>KSHS.</b>	

ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	<p><b><u>PROPOSED ADMINISTRATION BLOCK FOR DEPARTMENT OF AGRICULTURE,LIVESTOCK AND FISHERIES AND BUSINESS,ENERGY AND INDUSTRY</u></b></p> <p><b><u>BILLS OF QUANTITIES</u></b></p> <p><b><u>SECTION NO. 2</u></b></p> <p><b><u>ELEMENT NO. 9</u></b></p> <p><b><u>EXTERNAL FINISHES</u></b></p> <p><b><u>Floor Finishes</u></b></p> <p><u>Cement Sand (1:4) screed as described</u></p>					
A	<p>40 mm Thick finished to receive tiles</p> <p><u>Supply and fix with and including Sika Ceramic 100g grey adhesive and grouting with Sika tile grout and pointing to match. Rate to include breakage and cutting waste</u></p>	m2	142			
B	400 x 400 mm Ceramic tiles in patterns as directed	m2	142			
C	<p>100 mm Skirting tile <b>cut out of tiles above</b></p> <p><u>Cement and sand (1:4) render</u></p>	m	122			
D	<p>12mm Thick to walls, exposed beams and columns</p> <p><u>Prepare and apply two coats matt emulsion paint to</u></p>	m2	496			
E	Plastered surfaces externally	m2	496			
F	<p><b><u>Paving slab</u></b></p> <p>600x600mm thick paving slab around the building</p>	m2	148			
	<u>Carried to Collection</u>				Kshs.	

ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	<u>DOORS (CONT'D)</u>					
	<u>Ceiling Finishes</u>					
	<u>Cement sand and lime (1:2:9) in</u>					
A	12 mm Thick plaster to soffits	m2	76			
	<u>Prepare and apply two coats internal quality matt emulsion paint to:-</u>					
B	Plastered soffits	m2	76			
	<u>Chipboard ceiling</u>					
C	Provide and fix chipboard ceiling to arhitect's approval	m2	76			
D	Provide and fix 50x50mm cornices	m	110			
	<u>Carried to Collection</u>				Kshs.	
	<u>COLLECTION</u>					
	Page No. 2/1					
	Page No. 2/2					
	<u><b>TOTAL FOR EXTERNAL FINISHES CARRIED TO SUMMARY</b></u>				<b>KSHS.</b>	

ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	<p><b><u>PROPOSED ADMINISTRATION BLOCK FOR DEPARTMENT OF AGRICULTURE,LIVESTOCK AND FISHERIES AND BUSINESS,ENERGY AND INDUSTRY</u></b></p> <p><b><u>BILLS OF QUANTITIES</u></b></p> <p><b><u>SECTION NO. 2</u></b></p> <p><b><u>ELEMENT NO.10</u></b></p> <p><b><u>INTERNAL FINISHES</u></b></p> <p><b><u>Floor Finishes</u></b></p> <p><u>Cement Sand (1:4) screed as described</u></p>					
A	<p>20 mm Thick finished to receive tiles</p> <p><u>Supply and fix with and including Sika Ceramic 100g grey adhesive and grouting with Sika tile grout and pointing to match. Rate to include breakage and cutting waste</u></p>	m2	478			
B	400 x 400 mm Ceramic tiles in patterns as directed	m2	478			
C	100 mm Skirting tile <b>cut out of tiles above</b>	m	269			
	<u>Cement, sand, lime (1:2:9) in :-</u>					
D	12 mm Thick plaster to masonry or concrete surfaces	m2	1,008			
	<u>Cement Sand (1:4) render to walls</u>					
E	10 mm Thick backing to receive tiles	m2	172			
	<u>Carried to Collection</u>				Kshs.	

ITEM NO.	DESCRIPTION	UNIT	QTY	RATE	KSHS.	CTS.
	<u>INTERNAL FINISHES (CONT'D)</u> <u>Supply and fix with and including Sika Ceramic 100g grey adhesive and grouting with Sika tile grout and pointing to match. Rate to include breakage and cutting waste</u>					
A	400 x 400 mm Ceramic tiles in patterns as directed	m2	172			
	<u>Painting and Decorating</u> <u>Prepare and apply two coats internal quality matt emulsion paint to:-</u>					
B	Plastered wall surfaces	m2	1,008			
	<u>Ceiling Finishes</u> <u>Cement sand and lime (1:2:9) in</u>					
C	12 mm Thick plaster to soffits	m2	238			
	<u>Prepare and apply two coats internal quality matt emulsion paint to:-</u>					
D	Plastered soffits	m2	238			
E	soffits of Chipboard ceiling	m2	238			
	<u>Chipboard ceiling</u>					
F	Provide and fix chipboard to architect's approval	m2	238			
G	Provide and fix 50x50mm cornices	m	410			
	<u>Carried to Collection</u>			Kshs.	-	
	<u>COLLECTION</u>					
	Page No. 2/1					
	Page No. 2/2					
	<u>TO SUMMARY</u>					



ITEM NO.			SHS.	CTS.
	<u><b>PROPOSED ADMINISTRATION BLOCK FOR DEPARTMENT OF AGRICULTURE,LIVESTOCK AND FISHERIES AND BUSINESS,ENERGY AND INDUSTRY</b></u>			
	<u><b>BILLS OF QUANTITIES</b></u>			
	<u><b>SECTION NO. 2</b></u>			
	<u><b>ADMINISTRATION BLOCK</b></u>			
	<u>SUMMARY</u>	<u>PAGE NO.</u>		
1.	SUBSTRUCTURES	2/5		
2.	RC SUPERSTRUCTURE	2/6		
3.	STAIRCASE	2/9		
4	EXTERNAL WALLS	2/2		
5	INTERNAL WALLS	2/6		
6	ROOF	2/8		
7	WINDOWS	2/2		
8	DOORS	2/2		
9	EXTERNAL FINISHES	2/2		
10	INTERNAL FINISHES	2/4		
	<u><b>TOTAL FOR ADMINISTRATION BLOCK CARRIED TO MAIN SUMMARY</b></u>	<b>KSHS.</b>	-	

ITEM NO.	DESCRIPTION	UNIT	QTY.	KSHS.	CTS.
	<b><u>PROPOSED ADMINISTRATION BLOCK FOR DEPARTMENT OF AGRICULTURE,LIVESTOCK AND FISHERIES AND BUSINESS,ENERGY AND INDUSTRY</u></b>				
	<b><u>BILLS OF QUANTITIES</u></b>				
	<b><u>SECTION NO. 3</u></b>				
	<b><u>MAIN BLOCK</u></b>				
	<b><u>PRIME COST AND PROVISIONAL SUMS</u></b>				
	<b><u>PRIME COST SUMS</u></b>				
A	Allow a Prime Cost Sum of Kenya Shillings Five Hundred Thousand for Electrical Installations and KP&L Connection		Sum	500,000	00
B	Allow a Prime Cost Sum of Kenya Shillings Seven Hundred Thousand for Plumbing, Drainage and Sanitary Ware		Sum	700,000	00
C	Allow a Prime Cost Sum of Kenya Shillings Eight Hundred and Thirty Thousand for Contingency		Sum	830,000	00
D	Allow a Prime Cost Sum of Kenya Shillings Two Hundred Thousand for Project management		Sum	200,000	00
E	Allow a Prime Cost Sum of Kenya Shillings Four Hundred Thousand for Septic tank		Sum	400,000	00
F	Allow a Prime Cost Sum of Kenya Shillings One Hundred and Forty Thousand for Soak pit		Sum	140,000	00
	<b><u>TOTAL FOR PRIME COST AND PROVISIONAL SUMS CARRIED TO SUMMARY</u></b>		<b>KSHS.</b>	<b>2,770,000</b>	<b>00</b>

ITEM NO.	DESCRIPTION	UNIT	QTY.	KSHS.	CTS.
-------------	-------------	------	------	-------	------

ITEM NO.			SHS.	CTS.
	<p><b><u>PROPOSED ADMINISTRATION BLOCK FOR DEPARTMENT OF AGRICULTURE,LIVESTOCK AND FISHERIES AND BUSINESS,ENERGY AND INDUSTRY</u></b></p> <p><u>MAIN SUMMARY</u></p> <p>1. PRELIMINARIES</p> <p>2. ADMINISTRATION BLOCK</p> <p>3. PROVISIONAL SUMS</p>	<p><u>PAGE NO.</u></p> <p>1/26</p> <p>2/25</p> <p>3/1</p>		
	<p><b><u>TOTAL CARRIED TO FORM OF TENDER</u></b> <b><u>THIS RATE IS INCLUSIVE OF VAT</u></b></p>	<p><b>KSHS.</b></p>		