

COUNTY GOVERNMENT OF KISUMU



DEPARTMENT OF ROADS, TRANSPORT AND PUBLIC WORKS

Office of the Chief Officer - Roads, Transport and Public Works

NEGOTIATION NO 846636

**PROPOSED CONSTRUCTION OF THEATRE AT PAP ONDITI HOSPITAL KISUMU
COUNTY**

TENDER NO CGK/H&S/20-21/003

CLIENT

DEPARTMENT OF HEALTH AND SANITATION COUNTY GOVERNMENT OF KISUMU

P.O BOX 2738-40100

KISUMU

PROJECT MANAGER THE DIRECTOR PUBLIC WORKS

DEPARTMENT OF ROADS, TRANSPORT AND PUBLIC WORKS

P.O. BOX 2738 - 40100

KISUMU

CLOSING DATE 19TH FEBRUARY 2021

STANDARD TENDER DOCUMENT

FOR

PROCUREMENT OF WORKS

**(BUILDING AND ASSOCIATED
CIVIL ENGINEERING WORKS)
TABLE OF CONTENTS**

	<u>PAGE</u>
INTRODUCTION	1
SECTION I: INVITATION TO TENDER	2
SECTION II: INSTRUCTIONS TO TENDERERS	3 - 14
SECTION III: CONDITIONS OF CONTRACT	15- 36
SECTION IV: APPENDIX TO CONDITIONS OF CONTRACT	37 - 39
SECTION V: SPECIFICATIONS	40 - 41
SECTION VI: DRAWINGS	42
SECTION VII: BILLS OF QUANTITIES	43 - 46

SECTION VIII: STANDARD FOR
MS 47 - 66

INTRODUCTION

- 1.1 This standard tender document for procurement of works has been prepared for use by procuring entities in Kenya in the procurement of works (i.e. Buildings and associated Civil Engineering Works).
- 1.2 The following guidelines should be observed when using the document:-
- (a) Specific details should be furnished in the Invitation to tender and in the special conditions of contract (where applicable). The tender document issued to tenderers should not have blank spaces or options.
 - (b) The instructions to tenderers and the General Conditions of Contract should remain unchanged. Any necessary amendments to these parts should be made through Appendix to instructions to tenderers and special conditions of contract respectively.
- 1.3
- (b) Information contained in the invitation to tender shall conform to the data and information in the tender documents to enable prospective tenderers to decide whether or not to participate in the tender and shall indicate any important tender requirements
 - (c) The invitation to tender shall be as an advertisement in accordance with the regulations or a letter of invitation addressed to tenderers who have been prequalified following a request for prequalification.
- 1.4 The cover of the document shall be modified to include:-
- I. Tender number. II. Tender name.
 - III. Name of procuring entity.
 - IV. Delete name and address of PPOA.

SECTION I INVITATION FOR TENDERS

Tender reference No. CGK/H&S/20-21/003

Tender Name (PROPOSED THEATRE AT PAP ONDITI HOSPITAL)

Negotiation No. 846636

- 1.1. The (COUNTY GOVERNMENT OF KISUMU) invites sealed tenders for the construction of (**PROPOSED THEARTER**)
- 1.2. Interested eligible candidates may obtain further information and inspect tender documents (*and additional copies*) at, (DEPARTMENT OF HEALTH, PROSPERITY HOUSE) during normal working hours.
- 1.3. A complete set of tender documents may be downloaded free of charge from the County Government of Kisumu website at <https://www.kisumu.go.ke/category/tenders/or> from the Public Procurement Information Portal at <https://tenders.go.ke> Suppliers portal www.suppliers.treasury.go.ke/bidders who download the documents from the Public Procurement information Portal must forward their particulars immediately to www.suppliers.treasury.go.ke.
- 1.4. Prices quoted should be net, inclusive of all taxes, and delivery must be in Kenya Shillings and shall remain valid for 120 days from the closing date of the tender.
- 1.5. Tenders must be accompanied by a Tender security of 2% of the quoted amount in the form of a guarantee from a reputable commercial bank or insurance company in Kenya approved by Public Procurement Regulatory Authority. Sealed Original tender security of 2% should be deposited at 2nd floor Prosperity House (Huduma Center) Department Finance Director Supply Chain Management Office on or before **19th February 2021** on official working hours only.
- 1.6. Note that submission should be online and manual whereby Completed Tender Documents in plain sealed envelopes marked with the tender number and title should be deposited in the Tender Box located at the 2nd Floor of the Prosperity House, before 19TH February 2021 at 12.00 NOON. Late bids will not be accepted and will be returned unopened
- 1.7. Completed tender documents are to be enclosed in plain sealed envelopes (separated as technical proposal and financial proposal), marked with the tender number and be deposited in the **Tender box** provided on **Second (2nd) Floor of County Headquarters** addressed to:

**The County Secretary,
County Government of Kisumu
P.O BOX 2738-40100, Kisumu,
Prosperity House, 2nd Floor,**

- 1.8. Pre – site visit will be on **10th January 2021** as from **8:00am** bidders are requested to meet at the department of Health and Sanitation before proceeding to the site.

For:

Chief Officer
DEPARTMENT OF HEALTH AND SANITATION
COUNTY GOVERNMENT OF KISUMU
P.O BOX 2738-40100
KISUMU

SECTION II

INSTRUCTIONS TO TENDERERS

TABLE OF CONTENTS PAGE

CLAUSE		PAGE
1.	General	4
2.	Tender Documents	6 - 7
3.	Preparation of Tenders	7 - 8
4.	Submission of Tenders	10 - 11
5.	Tender Opening and Evaluation	11 - 13
6.	Award of Contract	13 - 14 <u>INSTRUCTIONS TO TENDERERS.</u>

1. General/Eligibility/Qualifications/Joint venture/Cost of tendering

1.1 The Employer as defined in the Appendix to Conditions of Contract invites tenders for Works Contract as described in the tender documents. The successful tenderer will be expected to complete the Works by the Intended Completion Date specified in the tender documents.

1.2 All tenderers shall provide the Qualification Information, a statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or has not been associated in the past, directly or indirectly, with the Consultant or any other entity that has prepared the design, specifications, and other documents for the project or being proposed as Project Manager for the Contract. A firm that has been engaged by the Employer to provide consulting services for the preparation or supervision of the Works, and any of its affiliates, shall not be eligible to tender.

1.3 All tenderers shall provide in the Form of Tender and Qualification Information, a preliminary description of the proposed work method and schedule, including drawings and charts, as necessary.

1.4 In the event that pre-qualification of potential tenderers has been undertaken, only tenders from pre-qualified tenderers will be considered for award of Contract. These qualified tenderers should submit with their tenders any information updating their original pre-qualification applications or, alternatively, confirm in their tenders that the originally

submitted pre-qualification information remains essentially correct as of the date of tender submission.

1.5 Where no pre-qualification of potential tenderers has been done, all tenderers shall include the following information and documents with their tenders , unless otherwise stated:

- (a) copies of original documents defining the constitution or legal status, place of registration, and principal place of business; written power of attorney of the signatory of the tender to commit the tenderer:
- (b) total monetary value of construction work performed for each of the last five years:
- (c) experience in works of a similar nature and size for each of the last five years, and details of work under way or contractually committed; and names and addresses of clients who may be contacted for further information on these contracts;
- (d) major items of construction equipment proposed to carry out the Contract and an undertaking that they will be available for the Contract.
- (e) qualifications and experience of key site management and technical personnel proposed for the Contract and an undertaking that they shall be available for the Contract.
- (f) reports on the financial standing of the tenderer, such as profit and loss statements and auditor's reports for the past five years;
- (g) evidence of adequacy of working capital for this Contract (access to line(s) of credit and availability of other financial resources);
- (h) authority to seek references from the tenderer's bankers;
- (i) information regarding any litigation, current or during the last five years, in which the tenderer is involved, the parties concerned and disputed amount; and
- (j) proposals for subcontracting components of the Works amounting to more than 10 percent of the Contract Price.

1.6 Tenders submitted by a joint venture of two or more firms as partners shall comply with the following requirements, unless otherwise stated:

- (a) the tender shall include all the information listed in clause 1.5 above for each joint venture partner;
- (b) the tender shall be signed so as to be legally binding on all partners;

- (c) all partners shall be jointly and severally liable for the execution of the Contract in accordance with the Contract terms;
- (d) one of the partners will be nominated as being in charge, authorised to incur liabilities, and receive instructions for and on behalf of all partners of the joint venture; and
- (e) the execution of the entire Contract, including payment, shall be done exclusively with the partner in charge.

1.7 To qualify for award of the Contract, tenderers shall meet the following minimum qualifying criteria;

- (a) annual volume of construction work of at least 2.5 times the estimated annual cashflow for the Contract;
- (b) experience as main contractor in the construction of at least
- (c) two works of a nature and complexity equivalent to the Works over the last 10 years (to comply with this requirement, works cited should be at least 70 percent complete);
- (d) proposals for the timely acquisition (own, lease, hire, etc.) of the essential equipment listed as required for the Works;
- (e) a Contract manager with at least five years' experience in works of an equivalent nature and volume, including no less than three years as Manager; and
- (f) liquid assets and/or credit facilities, net of other contractual commitments and exclusive of any advance payments which may be made under the Contract, of no less than 4 months of the estimated payment flow under this Contract.

1.8 The figures for each of the partners of a joint venture shall be added together to determine the tenderer's compliance with the minimum qualifying criteria of clause 1.7 (a) and (e); however, for a joint venture to qualify, each of its partners must meet at least 25 percent of minimum criteria 1.7 (a), (b) and (e) for an individual tenderer, and the partner in charge at least 40 percent of those minimum criteria. Failure to comply with this requirement will result in rejection of the joint venture's tender.

Subcontractors' experience and resources will not be taken into account in determining the tenderer's compliance with the qualifying criteria, unless otherwise stated.

1.9 Each tenderer shall submit only one tender, either individually or as a partner in a joint venture. A tenderer who submits or participates in more than one tender (other than as a subcontractor or in cases of alternatives that have been permitted or requested) will cause all the proposals with the tenderer's participation to be disqualified.

- 1.10 The tenderer shall bear all costs associated with the preparation and submission of his tender, and the Employer will in no case be responsible or liable for those costs.
- 1.11 The tenderer, at the tenderer's own responsibility and risk, is encouraged to visit and examine the Site of the Works and its surroundings, and obtain all information that may be necessary for preparing the tender and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the tenderer's own expense.
- 1.12 The procuring entity's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender.
- 1.13 The price to be charged for the tender document shall not exceed Kshs.5,000/=
- 1.14 The procuring entity shall allow the tenderer to review the tender document free of charge before purchase.

2. Tender Documents

- 2.1 The complete set of tender documents comprises the documents listed below and any addenda issued in accordance with Clause 2.4.
 - (a) These Instructions to Tenderers
 - (b) Form of Tender and Qualification Information
 - (c) Conditions of Contract
 - (d) Appendix to Conditions of Contract
 - (e) Specifications
 - (f) Drawings
 - (g) Bills of Quantities
 - (h) Forms of Securities
- 2.2 The tenderer shall examine all Instructions, Forms to be filled and Specifications in the tender documents. Failure to furnish all information required by the tender documents, or submission of a tender not substantially responsive to the tendering documents in every respect will be at the tenderer's risk and may result in rejection of his tender.
- 2.3 A prospective tenderer making an inquiry relating to the tender documents may notify the Employer in writing or by cable, telex or facsimile at the address indicated in the letter of invitation to tender. The Employer will only respond to requests for clarification received earlier than seven days prior to the deadline for submission of tenders. Copies of the Employer's response will be forwarded to all persons issued with tendering documents, including a description of the inquiry, but without identifying its source.
- 2.4 Before the deadline for submission of tenders, the Employer may modify the tendering documents by issuing addenda. Any addendum thus issued shall be part of the tendering documents and shall be communicated in writing or by cable, telex or facsimile to all

tenderers. Prospective tenderers shall acknowledge receipt of each addendum in writing to the Employer.

7

2.5 To give prospective tenderers reasonable time in which to take an addendum into account in preparing their tenders, the Employer shall extend, as necessary, the deadline for submission of tenders, in accordance with Clause 4.2 here below.

3. Preparation of Tenders

3.1 All documents relating to the tender and any correspondence shall be in English language.

3.2 The tender submitted by the tenderer shall comprise the following:

- (a) These Instructions to Tenderers, Form of Tender, Conditions of Contract, Appendix to Conditions of Contract and Specifications;
- (b) Tender Security;
- (c) Priced Bill of Quantities ;
- (d) Qualification Information Form and Documents;
- (e) Alternative offers where invited; and
- (f) Any other materials required to be completed and submitted by the tenderers.

3.3 The tenderer shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items for which no rate or price is entered by the tenderer will not be paid for when executed and shall be deemed covered by the other rates and prices in the Bill of Quantities. All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause relevant to the Contract, as of 30 days prior to the deadline for submission of tenders, shall be included in the tender price submitted by the tenderer.

3.4 The rates and prices quoted by the tenderer shall only be subject to adjustment during the performance of the Contract if provided for in the Appendix to Conditions of Contract and provisions made in the Conditions of Contract.

3.5 The unit rates and prices shall be in Kenya Shillings.

3.6 Tenders shall remain valid for a period of sixty (60) days from the date of submission. However in exceptional circumstances, the Employer may request that the tenderers extend the period of validity for a specified additional period. The request and the tenderers' responses shall be made in writing. A tenderer may refuse the request without forfeiting the Tender Security. A tenderer agreeing to the request will not be required or permitted

to otherwise modify the tender, but will be required to extend the validity of Tender Security for the period of the extension, and in compliance with Clause 3.7 - 3.11 in all respects.

- 3.7 The tenderer shall furnish, as part of the tender, a Tender Security in the amount and form specified in the appendix to invitation to tenderers. This shall be in the amount not exceeding 2 percent of the tender price
- 3.8 The format of the Tender Security should be in accordance with the form of Tender Security included in Section G - Standard forms or any other form acceptable to the Employer . Tender Security shall be valid for 30 days beyond the validity of the tender.
- 3.9 Any tender not accompanied by an acceptable Tender Security shall be rejected. The Tender Security of a joint venture must define as —Tenderer| all joint venture partners and list them in the following manner: a joint venture consisting of|.....|,|.....|,and —.....|.
- 3.10 The Tender Securities of unsuccessful tenderers will be returned within 28 days of the end of the tender validity period specified in Clause 3.6.
- 3.11 The Tender Security of the successful tenderer will be discharged when the tenderer has signed the Contract Agreement and furnished the required Performance Security.
- 3.12 The Tender Security may be forfeited
 - (a) if the tenderer withdraws the tender after tender opening during the period of tender validity;
 - (b) if the tenderer does not accept the correction of the tender price, pursuant to Clause 5.7;
 - (c) in the case of a successful tenderer, if the tenderer fails within the specified time limit to
 - (i) sign the Agreement, or
 - (ii) furnish the required Performance Security.
- 3.13 Tenderers shall submit offers that comply with the requirements of the tendering documents, including the basic technical design as indicated in the Drawings and Specifications. Alternatives will not be considered, unless specifically allowed in the invitation to tender. If so allowed, tenderers wishing to offer technical alternatives to the requirements of the tendering documents must also submit a tender that complies with the requirements of the tendering documents, including the basic technical design as indicated in the Drawings and Specifications. In addition to submitting the basic tender, the tenderer shall provide all information necessary for a complete evaluation of the

alternative, including design calculations, technical specifications, breakdown of prices, proposed construction methods and other relevant details. Only the technical alternatives, if any, of the lowest evaluated tender conforming to the basic technical requirements shall be considered.

- 3.14 The tenderer shall prepare one original of the documents comprising the tender documents as described in Clause 3.2 of these Instructions to Tenderers, bound with the volume containing the Form of Tender, and clearly marked —ORIGINAL|. In addition, the tenderer shall submit copies of the tender, in the number specified in the invitation to tender, and clearly marked as —COPIES|. In the event of discrepancy between them, the original shall prevail.
- 3.15 The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by a person or persons duly authorised to sign on behalf of the tenderer, pursuant to Clause 1.5 (a) or 1.6 (b), as the case may be. All pages of the tender where alterations or additions have been made shall be initialled by the person or persons signing the tender.
- 3.16 Clarification of tenders shall be requested by the tenderer to be received by the procuring entity not later than 7 days prior to the deadline for submission of tenders.
- 3.17 The procuring entity shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.
- 3.18 The tender security shall be in the amount of 0.5 – 2 per cent of the tender price.

4. Submission of Tenders

4.1 The tenderer shall seal the original and all copies of the tender in two inner envelopes and one outer envelope, duly marking the inner envelopes as —ORIGINAL| and —COPIES| as appropriate. The inner and outer envelopes shall:

10

- (a) be addressed to the Employer at the address provided in the invitation to tender;
 - (b) bear the name and identification number of the Contract as defined in the invitation to tender; and
 - (c) provide a warning not to open before the specified time and date for tender opening.
- 4.2 Tenders shall be delivered to the Employer at the address specified above not later than the time and date specified in the invitation to tender. However, the Employer may extend the deadline for submission of tenders by issuing an amendment in accordance with Sub-Clause 2.5 in which case all rights and obligations of the Employer and the tenderers previously subject to the original deadline will then be subject to the new deadline.

- 4.3 Any tender received after the deadline prescribed in clause 4.2 will be returned to the tenderer un-opened.
- 4.4 Tenderers may modify or withdraw their tenders by giving notice in writing before the deadline prescribed in clause 4.2. Each tenderer's modification or withdrawal notice shall be prepared, sealed, marked, and delivered in accordance with clause 3.13 and 4.1, with the outer and inner envelopes additionally marked —**MODIFICATION**”and —**WITHDRAWAL**”, as appropriate. No tender may be modified after the deadline for submission of tenders.
- 4.5 Withdrawal of a tender between the deadline for submission of tenders and the expiration of the period of tender validity specified in the invitation to tender or as extended pursuant to Clause 3.6 may result in the forfeiture of the Tender Security pursuant to Clause 3.11.
- 4.6 Tenderers may only offer discounts to, or otherwise modify the prices of their tenders by submitting tender modifications in accordance with Clause 4.4 or be included in the original tender submission.

5. Tender Opening and Evaluation

- 5.1 The tenders will be opened by the Employer, including modifications made pursuant to Clause 4.4, in the presence of the tenderers' representatives who choose to attend at the time and in the place specified in the invitation to tender. Envelopes marked —**WITHDRAWAL** shall be opened and read out first. Tenderers' and Employer's representatives who are present during the opening shall sign a register evidencing their attendance.
- 5.2 The tenderers' names, the tender prices, the total amount of each tender and of any alternative tender (if alternatives have been requested or permitted), any discounts, tender modifications and withdrawals, the presence or absence of Tender Security, and such other details as may be considered appropriate, will be announced by the Employer at the opening. Minutes of the tender opening, including the information disclosed to those present will be prepared by the Employer.
- 5.3 Information relating to the examination, clarification, evaluation, and comparison of tenders and recommendations for the award of Contract shall not be disclosed to tenderers or any other persons not officially concerned with such process until the award to the successful tenderer has been announced. Any effort by a tenderer to influence the Employer's officials, processing of tenders or award decisions may result in the rejection of his tender.
- 5.4 To assist in the examination, evaluation, and comparison of tenders, the Employer at his discretion, may ask any tenderer for clarification of the tender, including breakdowns of unit rates. The request for clarification and the response shall be in writing or by cable, telex or facsimile but no change in the price or substance of the tender shall be sought,

offered, or permitted except as required to confirm the correction of arithmetic errors discovered in the evaluation of the tenders in accordance with Clause 5.7.

5.5 Prior to the detailed evaluation of tenders, the Employer will determine whether each tender (a) meets the eligibility criteria defined in Clause 1.7;(b) has been properly signed; (c) is accompanied by the required securities; and (d) is substantially responsive to the requirements of the tendering documents. A substantially responsive tender is one which conforms to all the terms, conditions and specifications of the tendering documents, without material deviation or reservation. A material deviation or reservation is one (a) which affects in any substantial way the scope, quality, or performance of the works; (b) which limits in any substantial way, inconsistent with the tendering documents, the Employer's rights or the tenderer's obligations under the Contract; or (c) whose rectification would affect unfairly the competitive position of other tenderers presenting substantially responsive tenders.

5.6 If a tender is not substantially responsive, it will be rejected, and may not subsequently be made responsive by correction or withdrawal of the nonconforming deviation or reservation.

5.7 Tenders determined to be substantially responsive will be checked for any arithmetic errors. Errors will be corrected as follows:

- (a) where there is a discrepancy between the amount in figures and the amount in words, the amount in words will prevail; and
- (b) where there is a discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted will prevail, unless in the opinion of the Employer, there is an obvious typographical error, in which case the adjustment will be made to the entry containing that error.
- (c) In the event of a discrepancy between the tender amount as stated in the Form of Tender and the corrected tender figure in the main summary of the Bill of Quantities, the amount as stated in the Form of Tender shall prevail.
- (d) The Error Correction Factor shall be computed by expressing the difference between the tender amount and the corrected tender sum as a percentage of the corrected Builder's Work (i.e. Corrected tender sum less P.C. and Provisional Sums)
- (e) The Error Correction Factor shall be applied to all Builder's Work (as a rebate or addition as the case may be) for the purposes of valuations for Interim Certificates and valuation of variations.
- (f) the amount stated in the tender will be adjusted in accordance with the above procedure for the correction of errors and, with concurrence of the tenderer, shall be considered as binding upon the tenderer. If the tenderer does not accept the

corrected amount, the tender may be rejected and the Tender Security may be forfeited in accordance with clause 3.11.

- 5.8 The Employer will evaluate and compare only the tenders determined to be substantially responsive in accordance with Clause 5.5.
- 5.9 In evaluating the tenders, the Employer will determine for each tender the evaluated tender price by adjusting the tender price as follows:
- (a) making any correction for errors pursuant to clause 5.7;
 - (b) excluding provisional sums and the provision, if any, for contingencies in the Bill of Quantities, but including Dayworks where priced competitively.
 - (c) making an appropriate adjustment for any other acceptable variations, deviations, or alternative offers submitted in accordance with clause 3.12; and
 - (d) making appropriate adjustments to reflect discounts or other price modifications offered in accordance with clause 4.6
- 5.10 The Employer reserves the right to accept or reject any variation, deviation, or alternative offer. Variations, deviations, and alternative offers and other factors which are in excess of the requirements of the tender documents or otherwise result in unsolicited benefits for the Employer will not be taken into account in tender evaluation.
- 5.11 The tenderer shall not influence the Employer on any matter relating to his tender from the time of the tender opening to the time the Contract is awarded. Any effort by the Tenderer to influence the Employer or his employees in his decision on tender evaluation, tender comparison or Contract award may result in the rejection of the tender.
- 5.12 Firms incorporated in Kenya where indigenous Kenyans own 51% or more of the share capital shall be allowed a 10% preferential bias provided that they do not sub-contract work valued at more than 50% of the Contract Price excluding Provisional Sums to a non-indigenous sub-contractor.

6. Award of Contract

- 6.1 Subject to Clause 6.2, the award of the Contract will be made to the tenderer whose tender has been determined to be substantially responsive to the tendering documents and who has offered the lowest evaluated tender price, provided that such tenderer has been determined to be (a) eligible in accordance with the provision of Clauses 1.2, and (b) qualified in accordance with the provisions of clause 1.7 and 1.8.
- 6.2 Notwithstanding clause 6.1 above, the Employer reserves the right to accept or reject any tender, and to cancel the tendering process and reject all tenders, at any time prior to the award of Contract, without thereby incurring any liability to the affected tenderer or

tenderers or any obligation to inform the affected tenderer or tenderers of the grounds for the action.

6.3 The tenderer whose tender has been accepted will be notified of the award prior to expiration of the tender validity period in writing or by cable, telex or facsimile. This notification (hereinafter and in all Contract documents called the —Letter of Acceptance) will state the sum (hereinafter and in all Contract documents called the —Contract Price) that the Employer will pay the Contractor in consideration of the execution, completion, and maintenance of the Works by the Contractor as prescribed by the Contract. At the same time the other tenderers shall be informed that their tenders have not been successful.

The contract shall be formed on the parties signing the contract.

6.4 The Agreement will incorporate all agreements between the Employer and the successful tenderer. Within 14 days of receipt the successful tenderer will sign the Agreement and return it to the Employer.

6.5 Within 21 days after receipt of the Letter of Acceptance, the successful tenderer shall deliver to the Employer a Performance Security in the amount stipulated in the Appendix to Conditions of Contract and in the form stipulated in the Tender documents. The Performance Security shall be in the amount and specified form

6.6 Failure of the successful tenderer to comply with the requirements of clause 6.5 shall constitute sufficient grounds for cancellation of the award and forfeiture of the Tender Security.

6.7 Upon the furnishing by the successful tenderer of the Performance Security, the Employer will promptly notify the other tenderers that their tenders have been unsuccessful.

6.8 Preference where allowed in the evaluation of tenders shall not be allowed for contracts not exceeding one year (12 months)

6.9 The tender evaluation committee shall evaluate the tender within 30 days of the validity period from the date of opening the tender.

6.10 The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless there is an administrative review request.

6.11 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)

6.12 Where contract price variation is allowed, the valuation shall not exceed 15% of the original contract price.

6.13 Price variation request shall be processed by the procuring entity within 30 days of receiving the request.

- 6.14 The procuring entity may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination.
- 6.15 The procuring entity shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.
- 6.16 A tenderer who gives false information in the tender document about its qualification or who refuses to enter into a contract after notification of contract award shall be considered for debarment from participating in future public procurement.

7. Corrupt and Fraudulent practices

- 7.1 The procuring entity requires that tenderers observe the highest standards of ethics during procurement process and execution of contracts. A tenderer shall sign a declaration that he has not and will not be involved in corrupt and fraudulent practices.

Section B

TENDER EVALUATION CRITERIA

CONTENTS

Tender Evaluation Criteria.....	11-20
Determination of Responsiveness.....	11-16
Detailed Technical Examination.....	16-17
Financial Evaluation.....	18-20
Combination of Technical, Tender Sums Comparison and Financial Score...20	

SECTION B TENDER EVALUATION CRITERIA

After tender opening, the tenders will be evaluated in **3 Stages**, namely:

1. Preliminary Evaluation & Determination of Responsiveness
2. Technical Evaluation
3. Financial Evaluation.
4. Determination of the Most Responsive Bidder.
5. Recommendation

1. PRELIMINARY EVALUATION &

DETERMINATION OF RESPONSIVENESS

This stage of evaluation shall involve examination of the pre-qualification conditions as set out in the Tender Advertisement Notice or Letter of Invitation to Tender and any other conditions stated in the bid document.

These conditions shall include the following:

ITEM	REQUIREMENTS (ATTACH THE FOLLOWING)	REQUIREMENT	YES	NO.
Statutory and General Requirements				
1.	Certified Copy of CR12 Form - from registrar of companies and their ID's (for the last 12 months)	<i>Limited companies details Must attach</i>		
2.	Proof 2% of tender security scanned and uploaded along with the bid, and the original physical copy submitted to the procuring entity on or before the 19th February 2021	<i>IFMIS Portal scanned tender security and Original copy submitted</i>		
3.	Certified Copy of Tax Compliance Certificate from KRA.	<i>Certified and Valid Until date of opening bids</i>		
4.	Certified Copy of PIN/VAT Certificate	<i>Limited companies to provide PIN for the companies and business name, individual PIN</i>		
5.	Certified Copy of National Construction Authority Certificate (NCA 7. NCA 1) for buildings works), Must be accompanied by a valid annual practicing license.	<i>Both Certificate and annual Practicing license Must be Valid and subject to Verification</i>		
6.	Single Business Permit	<i>Must be Valid, Stamped and signed from any County- Subject to verification</i>		
7.	Bid security. The Bidder shall furnish as part of its bid, a bid security of 2% of the	<i>In original, unconditional bank guarantee or banker's</i>		

	tender sum from a reputable commercial bank and insurance firms approved by Public Procurement Regulatory Authority (PPRA) ONLY	<i>cheque and in the amount and currency specified</i>		
8.	Physical address and works yard	<i>Must attach, Utility bills(water or electricity and lease agreement/title deed</i>		
9.	Certified copy of certificate of incorporation	<i>Must Attach</i>		
10.	Site Visit certificate	<i>signed and stamped by the Lead Engineer (will be issued at the site)</i>		
11.	Drawings	<i>signed and stamped by the Lead Engineer (will be issued at the site)</i>		
Bidding forms and other requirements				
12.	Bid Submission Form/form of bid	<i>Must be filled, Signed and stamped</i>		
13.	Power of Attorney. Written confirmation authorizing the signatory of the Bid to commit the Bidder.	<i>Letter of Authority. To be certified by a lawyer</i>		
14.	Environmental and Social Commitment	<i>Must be from the bidder. Letter of Commitment</i>		
15.	Safety Policy	<i>A written policy by the company and signed by the director</i>		
16.	Statement of Work Methods	<i>Well written and detailed schedule explaining work programme</i>		
17.	Tender completeness	<i>The schedules, BQ and relevant forms must be filled and stamped</i>		
Eligibility				
18.	Conflict of Interest	<i>No conflicts of interests</i>		
19.	Government Owned Entity	<i>Compliance with conditions of the Public Procurement ACT</i>		
Historical Contract Non-Performance				
20.	History of non-performing contracts	<i>Non-performance of a contract did not occur within the last 5 years prior to the deadline for application submission, based on all information on fully settled disputes or litigation. A fully settled dispute or litigation is one that has been resolved in accordance with the Dispute Resolution Mechanism under the respective contract, and where all appeal instances available to the bidder have been</i>		

		<i>exhausted. Forms Must be attached</i>		
21.	Pending Litigation.	<i>All pending litigation shall in total not represent more than Thirty percent (30%) of the Bidder's net worth and shall be treated as resolved against the Bidder. Forms Must be attached</i>		
22.	Signed and stamped form of tender			

Certification must be original, signed and stamped by an advocate/commissioner of oaths or relevant professional bodies

NB: All bidders with all the mandatory requirements proceed to the Technical stage of evaluation. Any bidder who fails to meet any of the above requirements shall be disqualified at this stage

2. TECHNICAL EVALUATION

The tender document shall be examined based on clause 4 of the Instruction to Tenderers which states as follows:

In accordance with clause 4.4 of Instruction to Tenderers, 'the tenderers shall provide such evidence of their continued eligibility satisfactory to the Employer as the Employer shall reasonably request'. The tenderers shall be required to fill the Standards Forms provided for the purposes of providing the required information. The tenderers may also attach the required information if they so desire.

Summary of Technical Score

Item	Category	Maximum Score
1	Financial Situation	30
2	Experience	30
3	Key personnel	25
4	Key equipment	15
	TECHNICAL SCORE, Ts	100

The detailed scoring plan shall be as shown in table 1 below: -

Sub-Factor	Requirement	Maximum score	Awarded score
Financial Situation			
Historical Financial Performance	Audited financial report for the last three (3) years: 2017, 2018, 2019		
	i. Provided Audited Reports for the three years	5	
	ii. Provided Audited Reports for two years	2	
	iii. Provided Audited Reports for One year	1	
	iv. No Audited Financial Report attached	0	
	Total	5	
Average Annual Turnover	Average annual turnover for the last three (3) years: 2017, 2018, 2019		
	i. Average Turn over greater or equal to 5 times the cost of the project	25	
	ii. Average Turn over greater or equal to 4 times the cost of the project	20	
	iii. Average Turn over greater or equal to 3 times the cost of the project	15	
	iv. Average Turn over greater or equal to 2 times the cost of the project	10	
	v. Average Turn over below the cost of the project	5	
	vi. No average Turn	0	
	Total	25	
Financial Resources	Evidence of Financial Resources (cash in hand, lines of credit, over draft facility etc. evidenced with certified letter/statements from bank)		
	i. Has financial resources equal or above the cost of the project	10	
	ii. Has financial resources below the cost of the project	5	
	iii. Has not indicated sources of financial resources	0	
	Total	10	
TOTAL FOR FINANCIAL SITUATION		30	

Experience			
Specific Experience	Specific Experience participating as contractor, management contractor or subcontractor in at least three contracts that have been successfully and substantially completed and that are of similar nature and scope to the proposed Works. Attach completion certificates.		
	i. Five No. and above Buildings projects each of similar nature, complexity and magnitude	30	
	ii. Four No. building construction projects of similar nature, complexity and magnitude	25	
	iii. Three No. building construction projects of similar nature, complexity and magnitude	20	
	iv. Two No. and below building construction projects of similar nature, complexity and magnitude	15	
	v. No executed works of similar nature, complexity and magnitude	0	
TOTAL FOR EXPERIENCE		30	
KEY PERSONNEL (Attach education certificate and CVs)			
Director of the firm	i. Holder of degree or diploma in relevant Engineering field	5	
	ii. Holder of certificate in relevant Engineering field	2	
	iii. Holder of trade test certificate in relevant Engineering field	1	
	iv. No relevant certificate	0	
Project Manager	At least a degree in Civil engineering or Project Management		
	i) ,Over 5 years specific works experience and held the position of project manager/ Team Leader in at least three project of similar nature and scope	10	
	ii) 3 Years and below specific works experience and held the position of project manager/ Team Leader in at least three project of similar nature and scope	5	
	iii) No relevant experience	0	
Site Agent/Engineers/Inspectors	At least 1 No. degree/diploma holder in relevant Engineering field		
	i) Over 10 years relevant experience	10	
	ii) Below 10 years relevant experience	5	
	iii) No relevant experience	0	
Foreman	At least 1 No. certificate holder in relevant Engineering field		
	i) Over 10 years relevant experience	5	
	ii) Below 10 years relevant experience	3	
	iii) No relevant experience	0	
TOTAL FOR KEY PERSONEL		25	

KEY EQUIPMENT			
Concrete Mixer	(Attach proof or evidence of ownership/lease agreement)		
	i. At least one Concrete mixer	3	
	ii. None	0	
Means of Transport	Schedule of contractor's Vehicles (Attach proof or evidence of ownership/lease)		
	i. At least two vehicles	4	
	ii. At most one Vehicle	3	
	iii. No Vehicle	0	
Tipper	Schedule of contractor's Tipper (<i>Attach proof or evidence of ownership/lease</i>)		
	i. At least two Tippers	4	
	ii. At most one tipper	3	
	iii. No Tipper	0	
Any other relevant equipment to the works being tendered for	i. At least two plant and equipment	4	
	ii. At most one Vehicle	2	
	iii. No Vehicle	0	
TOTAL SCORE FOR EQUIPMENT		15	

Summary of Technical Score

Item	Category	Maximum Score	Awarded Score
1	Financial Situation	30	
2	Experience	30	
3	Key personnel	25	
4	Key equipment	15	
	SCORE, Ts	100	

Any bidder who scores 70 points and above shall be considered for further evaluation. The Technical score will be allocated a maximum of 70%.

STAGE 3: FINANCIAL EVALUATION

The evaluation shall be in two sections

1. Preliminary examinations and
2. Financial Evaluation

1) PRELIMINARY EXAMINATIONS

The preliminary examination in the Financial Evaluation shall be in accordance with clause 26 of Instruction to Tenderers.

The parameter to be considered under this section includes the following:
Arithmetic errors and comparison of rates

(A) Arithmetic Errors

The bid shall be checked for arithmetic errors based on the rates and the total sums indicated in the bills of quantities.

Confirmation shall be sought in writing from the tenderers whose tender sums will be determined to have a significant arithmetic error to their disadvantage, to confirm whether they stand by their tender sums. The error shall be treated as **per clause 24 of Instructions to Tenderers**.

Noncompliance with the above shall lead to automatic disqualification from further evaluation. Discount if any shall be treated as an error in pursuant to clause 26.3 of Instructions to Tenderers

(B) Comparison of rates

The evaluation committee will compare rates from different bidders and note consistency of rates and front loading. The evaluation committee will judge and make an appropriate decision giving evidence.

2) FINANCIAL EVALUATION

The evaluation team shall compare the prices offered by the tenderers and the financial scores (Fs) will be determined using the formulae below. The financial score will be allocated a maximum of 30%.

$$Fs = 30 \times Fm/F$$

Where Fs is the financial score, Fm is the lowest priced responsive financial bid and F is the price of the bid under consideration

STAGE 4 – COMBINATION OF TECHNICAL AND FINANCIAL SCORE

The evaluation team shall combine Technical, Tender Sums Comparison and Financial Score as below:

Technical score (Ts) +Financial score (Fs)

= 70%+30%

RECOMMENDATION

The evaluation committee shall recommend to the client for the lowest evaluated and most responsive bidder with the highest combined technical and financial score for consideration of award.

SECTION III CONDITIONS OF CONTRACT

Table of Contents

1	Definitions	15
2	Interpretation.....	17
3	Language and Law	17
4	Project Manager's Decisions.....	17
5	Delegation.....	18
6	Communications	18
7	Sub Contracting	18
8	Other Contractors	18
9	Personnel	18
10	Works.....	19
11	Safety and temporary works	19
12	Discoveries	19
13	Work Programme	19 -20
14	Possession of site	20
15	Access to site	20
16	Instructions	20
17	Extension or Acceleration of completion date	20
18	Management Meetings	21
19	Early Warning	21
20	Defects	21 - 22
21	Bills of Quantities	22
22	Variations	22- 23
23	Payment certificates, currency of payments and Advance Payments	23
24	Compensation events	25 - 27
25	Price Adjustment	27 - 29
26	Retention	29

27	Liquidated Damages.....	29
28	Securities	29
29	Day Works	29 - 30
30	Liability and Insurance	30 - 31
31	Completion and taking over	31
32	Final Account	31
33	Termination	31 - 32
34	Payment upon termination	32 - 33
35	Release from performance	33
36	Corrupt gifts and payments of commission	33 - 34
37	Settlement of Disputes	34 - 36

CONDITIONS OF CONTRACT

1. Definitions

1.1 In this Contract, except where context otherwise requires, the following terms shall be interpreted as indicated;

“Bill of Quantities” means the priced and completed Bill of Quantities forming part of the tender.

“Compensation Events” are those defined in Clause 24 hereunder.

“The Completion Date” means the date of completion of the Works as certified by the Project Manager, in accordance with Clause 31.

“The Contract” means the agreement entered into between the Employer and the Contractor as recorded in the Agreement Form and signed by the parties including all attachments and appendices thereto and all documents incorporated by reference therein to execute, complete, and maintain the Works,

“The Contractor” refers to the person or corporate body whose tender to carry out the Works has been accepted by the Employer.

“The Contractor’s Tender” is the completed tendering document submitted by the Contractor to the Employer.

“The Contract Price” is the price stated in the Letter of Acceptance and thereafter as adjusted in accordance with the provisions of the Contract.

“Days” are calendar days; **“Months”** are calendar months.

“A Defect” is any part of the Works not completed in accordance with the Contract.

“The Defects Liability Certificate” is the certificate issued by Project Manager upon correction of defects by the Contractor.

“The Defects Liability Period” is the period named in the Contract Data and calculated from the Completion Date.

“Drawings” include calculations and other information provided or approved by the Project Manager for the execution of the Contract.

“Dayworks” are Work inputs subject to payment on a time basis for labour and the associated materials and plant.

“Employer”, or the **“Procuring entity”** as defined in the Public Procurement Regulations (i.e. Central or Local Government administration, Universities, Public Institutions and Corporations, etc) is the party who employs the Contractor to carry out the Works.

“Equipment” is the Contractor’s machinery and vehicles brought temporarily to the Site for the execution of the Works.

“The Intended Completion Date” is the date on which it is intended that the Contractor shall complete the Works. The Intended Completion Date may be revised only by the Project Manager by issuing an extension of time or an acceleration order.

“Materials” are all supplies, including consumables, used by the Contractor for incorporation in the Works.

“Plant” is any integral part of the Works that shall have a mechanical, electrical, chemical, or biological function.

“Project Manager” is the person named in the Appendix to Conditions of Contract (or any other competent person appointed by the Employer and notified to the Contractor, to act in replacement of the Project Manager) who is responsible for supervising the execution of the Works and administering the Contract and shall be an —Architect‡ or a —Quantity Surveyor‡ registered under the Architects and Quantity Surveyors Act Cap 525 or an —Engineer‡ registered under Engineers Registration Act Cap 530.

“Site” is the area defined as such in the Appendix to Condition of Contract.

“Site Investigation Reports” are those reports that may be included in the tendering documents which are factual and interpretative about the surface and subsurface conditions at the Site.

“Specifications” means the Specifications of the Works included in the Contract and any modification or addition made or approved by the Project Manager.

“Start Date” is the latest date when the Contractor shall commence execution of the Works. It does not necessarily coincide with the Site possession date(s).

“A Subcontractor” is a person or corporate body who has a Contract with the Contractor to carry out a part of the Work in the Contract, which includes Work on the Site.

“Temporary works” are works designed, constructed, installed, and removed by the Contractor which are needed for construction or installation of the Works.

“A Variation” is an instruction given by the Project Manager which varies the Works.

“The Works” are what the Contract requires the Contractor to construct, install, and turnover to the Employer, as defined in the Appendix to Conditions of Contract.

2. Interpretation

2.1 In interpreting these Conditions of Contract, singular also means plural, male also means female or neuter, and the other way around. Headings have no significance. Words have their normal meaning in English Language unless specifically defined. The Project Manager will provide instructions clarifying queries about these Conditions of Contract.

2.2 If sectional completion is specified in the Appendix to Conditions of Contract, reference in the Conditions of Contract to the Works, the Completion Date and the Intended Completion Date apply to any section of the Works (other than references to the Intended Completion Date for the whole of the Works).

2.3 The following documents shall constitute the Contract documents and shall be interpreted in the following order of priority;

- (1) Agreement,
- (2) Letter of Acceptance,
- (3) Contractor’s Tender,

- (4) Appendix to Conditions of Contract,
- (5) Conditions of Contract,
- (6) Specifications,
- (7) Drawings,
- (8) Bill of Quantities,
- (9) Any other documents listed in the Appendix to Conditions of Contract as forming part of the Contract.

Immediately after the execution of the Contract, the Project Manager shall furnish both the Employer and the Contractor with two copies each of all the Contract documents. Further, as and when necessary the Project Manager shall furnish the Contractor [always with a copy to the Employer] with three [3] copies of such further drawings or details or descriptive schedules as are reasonably necessary either to explain or amplify the Contract drawings or to enable the Contractor to carry out and complete the Works in accordance with these Conditions.

3. Language and Law

3.1 Language of the Contract and the law governing the Contract shall be English language and the Laws of Kenya respectively unless otherwise stated.

4 Project Manager's Decisions

4.1 Except where otherwise specifically stated, the Project Manager will decide contractual matters between the Employer and the Contractor in the role representing the Employer.

5 Delegation

5.1 The Project Manager may delegate any of his duties and responsibilities to others after notifying the Contractor.

6 Communications

6.1 Communication between parties shall be effective only when in writing. A notice shall be effective only when it is delivered.

7 Subcontracting

7.1 The Contractor may subcontract with the approval of the Project Manager, but may not assign the Contract without the approval of the Employer in writing. Subcontracting shall not alter the Contractor's obligations.

8 Other Contractors

8.1 The Contractor shall cooperate and share the Site with other contractors, public authorities, utilities etc. as listed in the Appendix to Conditions of Contract and also with the Employer, as per the directions of the Project Manager. The Contractor shall also provide facilities and services for them. The Employer may modify the said List of Other Contractors etc., and shall notify the Contractor of any such modification.

9 Personnel

9.1 The Contractor shall employ the key personnel named in the Qualification Information, to carry out the functions stated in the said Information or other personnel approved by the Project Manager. The Project Manager will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are substantially equal to or better than those of the personnel listed in the Qualification Information. If the Project Manager asks the Contractor to remove a person who is a member of the Contractor's staff or work force, stating the reasons, the Contractor shall ensure that the person leaves the Site within seven days and has no further connection with the Work in the Contract.

10 Works

10.1 The Contractor shall construct and install the Works in accordance with the Specifications and Drawings. The Works may commence on the Start Date and shall be carried out in accordance with the Program submitted by the Contractor, as updated with the approval of the Project Manager, and complete them by the Intended Completion Date.

11 Safety and Temporary Works

- 11.1 The Contractor shall be responsible for the design of temporary works. However before erecting the same, he shall submit his designs including specifications and drawings to the Project Manager and to any other relevant third parties for their approval. No erection of temporary works shall be done until such approvals are obtained.
- 11.2 The Project Manager's approval shall not alter the Contractor's responsibility for design of the Temporary works and all drawings prepared by the Contractor for the execution of the temporary or permanent Works, shall be subject to prior approval by the Project Manager before they can be used.
- 11.3 The Contractor shall be responsible for the safety of all activities on the Site.

12. Discoveries

- 12.1 Any thing of historical or other interest or of significant value unexpectedly discovered on Site shall be the property of the Employer. The Contractor shall notify the Project Manager of such discoveries and carry out the Project Manager's instructions for dealing with them.

13. Work Program

- 13.1 Within the time stated in the Appendix to Conditions of Contract, the Contractor shall submit to the Project Manager for approval a program showing the general methods, arrangements, order, and timing for all the activities in the Works. An update of the program shall be a program showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining Work, including any changes to the sequence of the activities.

The Contractor shall submit to the Project Manager for approval an updated program at intervals no longer than the period stated in the Appendix to Conditions of Contract. If the Contractor does not submit an updated program within this period, the Project Manager may withhold the amount stated in the said Appendix from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue program has been submitted. The Project Manager's approval of the program shall not alter the Contractor's obligations. The Contractor may revise the program and submit it to the Project Manager again at any time. A revised program shall show the effect of Variations and Compensation Events.

14. Possession of Site

14.1 The Employer shall give possession of all parts of the Site to the Contractor. If possession of a part is not given by the date stated in the Appendix to Conditions of Contract, the Employer will be deemed to have delayed the start of the relevant activities, and this will be a Compensation Event.

15. Access to Site

15.1 The Contractor shall allow the Project Manager and any other person authorised by the Project Manager, access to the Site and to any place where work in connection with the Contract is being carried out or is intended to be carried out.

16. Instructions

16.1 The Contractor shall carry out all instructions of the Project Manager which are in accordance with the Contract.

17. Extension or Acceleration of Completion Date

17.1 The Project Manager shall extend the Intended Completion Date if a Compensation Event occurs or a variation is issued which makes it impossible for completion to be achieved by the Intended Completion Date without the Contractor taking steps to accelerate the remaining Work, which would cause the Contractor to incur additional cost. The Project Manager shall decide whether and by how much to extend the Intended Completion Date within 21 days of the Contractor asking the Project Manager in writing for a decision upon the effect of a Compensation Event or variation and submitting full supporting information. If the Contractor has failed to give early warning of a delay or has failed to cooperate in dealing with a delay, the delay caused by such failure shall not be considered in assessing the new (extended) Completion Date.

17.2 No bonus for early completion of the Works shall be paid to the Contractor by the Employer.

18. Management Meetings

18.1 A Contract management meeting shall be held monthly and attended by the Project Manager and the Contractor. Its business shall be to review the plans for the remaining Work and to deal with matters raised in accordance with the early warning procedure. The Project Manager shall record the minutes of management meetings and provide copies of the same to those attending the meeting and the Employer. The responsibility of the parties for actions to be taken shall be decided by the Project Manager either at the management meeting or after the management meeting and stated in writing to all who attended the meeting.

19. Early Warning

- 19.1 The Contractor shall warn the Project Manager at the earliest opportunity of specific likely future events or circumstances that may adversely affect the quality of the Work, increase the Contract Price or delay the execution of the Works. The Project Manager may require the Contractor to provide an estimate of the expected effect of the future event or circumstance on the Contract Price and Completion Date. The estimate shall be provided by the Contractor as soon as reasonably possible.
- 19.2 The Contractor shall cooperate with the Project Manager in making and considering proposals on how the effect of such an event or circumstance can be avoided or reduced by anyone involved in the Work and in carrying out any resulting instructions of the Project Manager.

20. Defects

- 20.1 The Project Manager shall inspect the Contractor's work and notify the Contractor of any defects that are found. Such inspection shall not affect the Contractor's responsibilities. The Project Manager may instruct the Contractor to search for a defect and to uncover and test any Work that the Project Manager considers may have a defect. Should the defect be found, the cost of uncovering and making good shall be borne by the Contractor, However, if there is no defect found, the cost of uncovering and making good shall be treated as a variation and added to the Contract Price.
- 20.2 The Project Manager shall give notice to the Contractor of any defects before the end of the Defects Liability Period, which begins at Completion, and is defined in the Appendix to Conditions of Contract. The Defects Liability Period shall be extended for as long as defects remain to be corrected.
- 20.3 Every time notice of a defect is given, the Contractor shall correct the notified defect within the length of time specified by the Project Manager's notice. If the Contractor has not corrected a defect within the time specified in the Project Manager's notice, the Project Manager will assess the cost of having the defect corrected by other parties and such cost shall be treated as a variation and be deducted from the Contract Price.

21. Bills Of Quantities

- 21.1 The Bills of Quantities shall contain items for the construction, installation, testing and commissioning of the Work to be done by the Contractor. The Contractor will be paid for the quantity of the Work done at the rate in the Bills of Quantities for each item.

21.2 If the final quantity of the Work done differs from the quantity in the Bills of Quantities for the particular item by more than 25 percent and provided the change exceeds 1 percent of the Initial Contract price, the Project Manager shall adjust the rate to allow for the change.

21.3 If requested by the Project Manager, the Contractor shall provide the Project Manager with a detailed cost breakdown of any rate in the Bills of Quantities.

22. Variations

22.1 All variations shall be included in updated programs produced by the Contractor.

22.2 The Contractor shall provide the Project Manager with a quotation for carrying out the variations when requested to do so. The Project Manager shall assess the quotation, which shall be given within seven days of the request or within any longer period as may be stated by the Project Manager and before the Variation is ordered.

22.3 If the work in the variation corresponds with an item description in the Bills of Quantities and if in the opinion of the Project Manager, the quantity of work is not above the limit stated in Clause 21.2 or the timing of its execution does not cause the cost per unit of quantity to change, the rate in the Bills of Quantities shall be used to calculate the value of the variation. If the cost per unit of quantity changes, or if the nature or timing of the work in the variation does not correspond with items in the Bills of Quantities, the quotation by the Contractor shall be in the form of new rates for the relevant items of Work.

22.4 If the Contractor's quotation is unreasonable, the Project Manager may order the variation and make a change to the Contract price, which shall be based on the Project Manager's own forecast of the effects of the variation on the Contractor's costs.

22.5 If the Project Manager decides that the urgency of varying the Work would prevent a quotation being given and considered without delaying the Work, no quotation shall be given and the variation shall be treated as a Compensation Event.

22.6 The Contractor shall not be entitled to additional payment for costs that could have been avoided by giving early warning.

22.7 When the Program is updated, the Contractor shall provide the Project Manager with an updated cash flow forecast.

22.8

23. Payment Certificates, Currency of Payments and Advance Payments

- 23.1 The Contractor shall submit to the Project Manager monthly applications for payment giving sufficient details of the Work done and materials on Site and the amounts which the Contractor considers himself to be entitled to. The Project Manager shall check the monthly application and certify the amount to be paid to the Contractor within 14 days. The value of Work executed and payable shall be determined by the Project Manager.
- 23.2 The value of Work executed shall comprise the value of the quantities of the items in the Bills of Quantities completed, materials delivered on Site, variations and compensation events. Such materials shall become the property of the Employer once the Employer has paid the Contractor for their value. Thereafter, they shall not be removed from Site without the Project Manager's instructions except for use upon the Works.
- 23.3 Payments shall be adjusted for deductions for retention. The Employer shall pay the Contractor the amounts certified by the Project Manager within 30 days of the date of issue of each certificate. If the Employer makes a late payment, the Contractor shall be paid simple interest on the late payment in the next payment.
Interest shall be calculated on the basis of number of days delayed at a rate three percentage points above the Central Bank of Kenya's average rate for base lending prevailing as of the first day the payment becomes overdue.
- 23.4 If an amount certified is increased in a later certificate or as a result of an award by an Arbitrator, the Contractor shall be paid interest upon the delayed payment as set out in this clause. Interest shall be calculated from the date upon which the increased amount would have been certified in the absence of dispute.
- 23.5 Items of the Works for which no rate or price has been entered in will not be paid for by the Employer and shall be deemed covered by other rates and prices in the Contract.
- 23.6 The Contract Price shall be stated in Kenya Shillings. All payments to the Contractor shall be made in Kenya Shillings and foreign currency in the proportion indicated in the tender, or agreed prior to the execution of the Contract Agreement and indicated therein. The rate of exchange for the calculation of the amount of foreign currency payment shall be the rate of exchange indicated in the Appendix to Conditions of Contract. If the Contractor indicated foreign currencies for payment other than the currencies of the countries of origin of related goods and services the Employer reserves the right to pay the equivalent at the time of payment in the currencies of the countries of such goods and services. The Employer and the Project Manager shall be notified promptly by the Contractor of any changes in the expected foreign currency requirements of the Contractor during the execution of the Works as indicated in the Schedule of Foreign Currency Requirements and the foreign and local currency portions of the balance of the Contract Price shall then

be amended by agreement between Employer and the Contractor in order to reflect appropriately such changes.

23.7 In the event that an advance payment is granted, the following shall apply:-

- a) On signature of the Contract, the Contractor shall at his request, and without furnishing proof of expenditure, be entitled to an advance of 10% (ten percent) of the original amount of the Contract. The advance shall not be subject to retention money.
- b) No advance payment may be made before the Contractor has submitted proof of the establishment of deposit or a directly liable guarantee satisfactory to the Employer in the amount of the advance payment. The guarantee shall be in the same currency as the advance.
- c) Reimbursement of the lump sum advance shall be made by deductions from the Interim payments and where applicable from the balance owing to the Contractor. Reimbursement shall begin when the amount of the sums due under the Contract reaches 20% of the original amount of the Contract. It shall have been completed by the time 80% of this amount is reached.

The amount to be repaid by way of successive deductions shall be calculated by means of the formula:

$$R = \frac{A(x^1 - x^{11})}{80 - 20}$$

Where:

R = the amount to be reimbursed

A = the amount of the advance which has been granted

X¹ = the amount of proposed cumulative payments as a percentage of the original amount of the Contract. This figure will exceed 20% but not exceed 80%.

X¹¹ = the amount of the previous cumulative payments as a percentage of the original amount of the Contract. This figure will be below 80% but not less than 20%.

- d) with each reimbursement the counterpart of the directly liable guarantee may be reduced accordingly.

24. Compensation Events

24.1 The following issues shall constitute Compensation Events:

- (a) The Employer does not give access to a part of the Site by the Site Possession Date stated in the Appendix to Conditions of Contract.
- (b) The Employer modifies the List of Other Contractors, etc., in a way that affects the Work of the Contractor under the Contract.
- (c) The Project Manager orders a delay or does not issue drawings, specifications or instructions required for execution of the Works on time.
- (d) The Project Manager instructs the Contractor to uncover or to carry out additional tests upon the Work, which is then found to have no defects.
- (e) The Project Manager unreasonably does not approve a subcontract to be let.
- (f) Ground conditions are substantially more adverse than could reasonably have been assumed before issuance of the Letter of Acceptance from the information issued to tenderers (including the Site investigation reports), from information available publicly and from a visual inspection of the Site.
- (g) The Project Manager gives an instruction for dealing with an unforeseen condition, caused by the Employer or additional work required for safety or other reasons.
- (h) Other contractors, public authorities, utilities, or the Employer does not work within the dates and other constraints stated in the Contract, and they cause delay or extra cost to the Contractor.
- (i) The effects on the Contractor of any of the Employer's risks.
- (j) The Project Manager unreasonably delays issuing a Certificate of Completion.
- (k) Other compensation events described in the Contract or determined by the Project Manager shall apply.

24.2 If a compensation event would cause additional cost or would prevent the Work being completed before the Intended Completion Date, the Contract Price shall be increased and/or the Intended Completion Date shall be extended. The Project

Manager shall decide whether and by how much the Contract Price shall be increased and whether and by how much the Intended Completion Date shall be extended.

- 24.3 As soon as information demonstrating the effect of each compensation event upon the Contractor's forecast cost has been provided by the Contractor, it shall be assessed by the Project Manager, and the Contract Price shall be adjusted accordingly. If the Contractor's forecast is deemed unreasonable, the Project Manager shall adjust the Contract Price based on the Project Manager's own forecast. The Project Manager will assume that the Contractor will react competently and promptly to the event.
- 24.4 The Contractor shall not be entitled to compensation to the extent that the Employer's interests are adversely affected by the Contractor not having given early warning or not having co-operated with the Project Manager.
- 24.5 Prices shall be adjusted for fluctuations in the cost of inputs only if provided for in the Appendix to Conditions of Contract.
- 24.6 The Contractor shall give written notice to the Project Manager of his intention to make a claim within thirty days after the event giving rise to the claim has first arisen. The claim shall be submitted within thirty days thereafter.

Provided always that should the event giving rise to the claim of continuing effect, the Contractor shall submit an interim claim within the said thirty days and a final claim within thirty days of the end of the event giving rise to the claim.

25. Price Adjustment

- 25.1 The Project Manager shall adjust the Contract Price if taxes, duties and other levies are changed between the date 30 days before the submission of tenders for the Contract and the date of Completion. The adjustment shall be the change in the amount of tax payable by the Contractor.
- 25.2 The Contract Price shall be deemed to be based on exchange rates current at the date of tender submission in calculating the cost to the Contractor of materials to be specifically imported (by express provisions in the Contract Bills of Quantities or Specifications) for permanent incorporation in the Works. Unless otherwise stated in the Contract, if at any time during the period of the Contract exchange rates shall be varied and this shall affect the cost to the Contractor of such materials, then the Project Manager shall assess the net difference in the cost of such materials. Any amount from time to time so assessed shall be added to or deducted from the Contract Price, as the case may be.

- 25.3 Unless otherwise stated in the Contract, the Contract Price shall be deemed to have been calculated in the manner set out below and in sub-clauses 25.4 and 25.5 and shall be subject to adjustment in the events specified thereunder;
- (i) The prices contained in the Contract Bills of Quantities shall be deemed to be based upon the rates of wages and other emoluments and expenses as determined by the Joint Building Council of Kenya (J.B.C.) and set out in the schedule of basic rates issued 30 days before the date for submission of tenders. A copy of the schedule used by the Contractor in his pricing shall be attached in the Appendix to Conditions of Contract.
 - (ii) Upon J.B.C. determining that any of the said rates of wages or other emoluments and expenses are increased or decreased, then the Contract Price shall be increased or decreased by the amount assessed by the Project Manager based upon the difference, expressed as a percentage, between the rate set out in the schedule of basic rates issued 30 days before the date for submission of tenders and the rate published by the J.B.C. and applied to the quantum of labour incorporated within the amount of Work remaining to be executed at the date of publication of such increase or decrease.
 - (iii) No adjustment shall be made in respect of changes in the rates of wages and other emoluments and expenses which occur after the date of Completion except during such other period as may be granted as an extension of time under clause 17.0 of these Conditions.
- 25.4 The prices contained in the Contract Bills of Quantities shall be deemed to be based upon the basic prices of materials to be permanently incorporated in the Works as determined by the J.B.C. and set out in the schedule of basic rates issued 30 days before the date for submission of tenders. A copy of the schedule used by the Contractor in his pricing shall be attached in the Appendix to Conditions of Contract.
- 25.5 Upon the J.B.C. determining that any of the said basic prices are increased or decreased then the Contract Price shall be increased or decreased by the amount to be assessed by the Project Manager based upon the difference between the price set out in the schedule of basic rates issued 30 days before the date for submission of tenders and the rate published by the J.B.C. and applied to the quantum of the relevant materials which have not been taken into account in arriving at the amount of any interim certificate under clause 23 of these Conditions issued before the date of publication of such increase or decrease.
- 25.6 No adjustment shall be made in respect of changes in basic prices of materials which occur after the date for Completion except during such other period as may be granted as an extension of time under clause 17.0 of these Conditions.

25.7 The provisions of sub-clause 25.1 to 25.2 herein shall not apply in respect of any materials included in the schedule of basic rates.

26. Retention

26.1 The Employer shall retain from each payment due to the Contractor the proportion stated in the Appendix to Conditions of Contract until Completion of the whole of the Works. On Completion of the whole of the Works, half the total amount retained shall be repaid to the Contractor and the remaining half when the Defects Liability Period has passed and the Project Manager has certified that all defects notified to the Contractor before the end of this period have been corrected.

27. Liquidated Damages

27.1 The Contractor shall pay liquidated damages to the Employer at the rate stated in the Appendix to Conditions of Contract for each day that the actual Completion Date is later than the Intended Completion Date. The Employer may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages shall not alter the Contractor's liabilities.

27.2 If the Intended Completion Date is extended after liquidated damages have been paid, the Project Manager shall correct any overpayment of liquidated damages by the Contractor by adjusting the next payment certificate. The Contractor shall be paid interest on the overpayment, calculated from the date of payment to the date of repayment, at the rate specified in Clause 23.30

28. Securities

28.1 The Performance Security shall be provided to the Employer no later than the date specified in the Letter of Acceptance and shall be issued in an amount and form and by a reputable bank acceptable to the Employer, and denominated in Kenya Shillings. The Performance Security shall be valid until a date 30 days beyond the date of issue of the Certificate of Completion.

29. Dayworks

29.1 If applicable, the Dayworks rates in the Contractor's tender shall be used for small additional amounts of Work only when the Project Manager has given written instructions in advance for additional work to be paid for in that way.

29.2 All work to be paid for as Dayworks shall be recorded by the Contractor on Forms approved by the Project Manager. Each completed form shall be verified and signed by the Project Manager within two days of the Work being done.

29.3 The Contractor shall be paid for Dayworks subject to obtaining signed Dayworks forms.

30. Liability and Insurance

30.1 From the Start Date until the Defects Correction Certificate has been issued, the following are the Employer's risks:

- (a) The risk of personal injury, death or loss of or damage to property (excluding the Works, Plant, Materials and Equipment), which are due to;
 - (i) use or occupation of the Site by the Works or for the purpose of the Works, which is the unavoidable result of the Works, or
 - (ii) negligence, breach of statutory duty or interference with any legal right by the Employer or by any person employed by or contracted to him except the Contractor.
- (b) The risk of damage to the Works, Plant, Materials, and Equipment to the extent that it is due to a fault of the Employer or in Employer's design, or due to war or radioactive contamination directly affecting the place where the Works are being executed.

30.2 From the Completion Date until the Defects Correction Certificate has been issued, the risk of loss of or damage to the Works, Plant, and Materials is the Employer's risk except loss or damage due to;

- (a) a defect which existed on or before the Completion Date.
- (b) an event occurring before the Completion Date, which was not itself the Employer's risk
- (c) the activities of the Contractor on the Site after the Completion Date.

30.3 From the Start Date until the Defects Correction Certificate has been issued, the risks of personal injury, death and loss of or damage to property (including, without limitation, the Works, Plant, Materials, and Equipment) which are not Employer's risk are Contractor's risks.

The Contractor shall provide, in the joint names of the Employer and the Contractor, insurance cover from the Start Date to the end of the Defects Liability Period, in the amounts stated in the Appendix to Conditions of Contract for the following events;

- (a) loss of or damage to the Works, Plant, and Materials;
- (b) loss of or damage to Equipment;
- (c) loss of or damage to property (except the Works, Plant, Materials, and Equipment) in connection with the Contract, and (d) personal injury or death.

- 30.4 Policies and certificates for insurance shall be delivered by the Contractor to the Project Manager for the Project Manager's approval before the Start Date. All such insurance shall provide for compensation required to rectify the loss or damage incurred.
- 30.5 If the Contractor does not provide any of the policies and certificates required, the Employer may effect the insurance which the Contractor should have provided and recover the premiums from payments otherwise due to the Contractor or, if no payment is due, the payment of the premiums shall be a debt due.
- 30.6 Alterations to the terms of an insurance shall not be made without the approval of the Project Manager. Both parties shall comply with any conditions of insurance policies.

31. Completion and taking over

- 31.1 Upon deciding that the Works are complete, the Contractor shall issue a written request to the Project Manager to issue a Certificate of Completion of the Works. The Employer shall take over the Site and the Works within seven [7] days of the Project Manager's issuing a Certificate of Completion.

32. Final Account

- 32.1 The Contractor shall issue the Project Manager with a detailed account of the total amount that the Contractor considers payable to him by the Employer under the Contract before the end of the Defects Liability Period. The Project Manager shall issue a Defects Liability Certificate and certify any final payment that is due to the Contractor within 30 days of receiving the Contractor's account if it is correct and complete. If it is not, the Project Manager shall issue within 30 days a schedule that states the scope of the corrections or additions that are necessary. If the final account is still unsatisfactory after it has been resubmitted, the Project Manager shall decide on the amount payable to the Contractor and issue a Payment Certificate. The Employer shall pay the Contractor the amount due in the Final Certificate within 60 days.

33. Termination

33.1 The Employer or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract. These

fundamental breaches of Contract shall include, but shall not be limited to, the following;

- (a) the Contractor stops work for 30 days when no stoppage of work is shown on the current program and the stoppage has not been authorised by the Project Manager;
- (b) the Project Manager instructs the Contractor to delay the progress of the Works, and the instruction is not withdrawn within 30 days;
- (c) the Contractor is declared bankrupt or goes into liquidation other than for a reconstruction or amalgamation;
- (d) a payment certified by the Project Manager is not paid by the Employer to the Contractor within 30 days (for Interim Certificate) or 60 days (for Final Certificate) of issue.
- (e) the Project Manager gives notice that failure to correct a particular defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the Project Manager;
- (f) the Contractor does not maintain a security, which is required.

33.2 When either party to the Contract gives notice of a breach of Contract to the Project Manager for a cause other than those listed under Clause 33.1 above, the Project Manager shall decide whether the breach is fundamental or not.

33.3 Notwithstanding the above, the Employer may terminate the Contract for convenience.

33.4 If the Contract is terminated, the Contractor shall stop work immediately, make the Site safe and secure, and leave the Site as soon as reasonably possible. The Project Manager shall immediately thereafter arrange for a meeting for the purpose of taking record of the Works executed and materials, goods, equipment and temporary buildings on Site.

34. Payment Upon Termination

34.1 If the Contract is terminated because of a fundamental breach of Contract by the Contractor, the Project Manager shall issue a certificate for the value of the Work done and materials ordered and delivered to Site up to the date of the issue of the

certificate. Additional liquidated damages shall not apply. If the total amount due to the Employer exceeds any payment due to the Contractor, the difference shall be a debt payable by the Contractor.

34.2 If the Contract is terminated for the Employer's convenience or because of a fundamental breach of Contract by the Employer, the Project Manager shall issue a certificate for the value of the Work done, materials ordered, the reasonable cost of removal of equipment, repatriation of the Contractor's personnel employed solely on the Works, and the Contractor's costs of protecting and securing the Works.

34.3 The Employer may employ and pay other persons to carry out and complete the Works and to rectify any defects and may enter upon the Works and use all materials on the Site, plant, equipment and temporary works.

34.4 The Contractor shall, during the execution or after the completion of the Works under this clause remove from the Site as and when required, within such reasonable time as the Project Manager may in writing specify, any temporary buildings, plant, machinery, appliances, goods or materials belonging to or hired by him, and in default the Employer may (without being responsible for any loss or damage) remove and sell any such property of the Contractor, holding the proceeds less all costs incurred to the credit of the Contractor.

Until after completion of the Works under this clause the Employer shall not be bound by any other provision of this Contract to make any payment to the Contractor, but upon such completion as aforesaid and the verification within a reasonable time of the accounts therefore the Project Manager shall certify the amount of expenses properly incurred by the Employer and, if such amount added to the money paid to the Contractor before such determination exceeds the total amount which would have been payable on due completion in accordance with this Contract the difference shall be a debt payable to the Employer by the Contractor; and if the said amount added to the said money be less than the said total amount, the difference shall be a debt payable by the Employer to the Contractor.

35. Release from Performance

35.1 If the Contract is frustrated by the outbreak of war or by any other event entirely outside the control of either the Employer or the Contractor, the Project Manager shall certify that the Contract has been frustrated. The Contractor shall make the Site safe and stop Work as quickly as possible after receiving this certificate and shall be paid for all Work carried out before receiving it.

36. Corrupt gifts and payments of commission

The Contractor shall not;

- (a) Offer or give or agree to give to any person in the service of the

Employer any gift or consideration of any kind as an inducement or reward for doing or forbearing to do or for having done or forborne to do any act in relation to the obtaining or execution of this or any other Contract for the Employer or for showing or forbearing to show favour or disfavour to any person in relation to this or any other contract for the Employer.

- (b) Enter into this or any other contract with the Employer in connection with which commission has been paid or agreed to be paid by him or on his behalf or to his knowledge, unless before the Contract is made particulars of any such commission and of the terms and conditions of any agreement for the payment thereof have been disclosed in writing to the Employer.

Any breach of this Condition by the Contractor or by anyone employed by him or acting on his behalf (whether with or without the knowledge of the Contractor) shall be an offence under the provisions of the Public Procurement Regulations issued under The Exchequer and Audit Act Cap 412 of the Laws of Kenya.

37. Settlement Of Disputes

- 37.1 In case any dispute or difference shall arise between the Employer or the Project Manager on his behalf and the Contractor, either during the progress or after the completion or termination of the Works, such dispute shall be notified in writing by either party to the other with a request to submit it to arbitration and to concur in the appointment of an Arbitrator within thirty days of the notice. The dispute shall be referred to the arbitration and final decision of a person to be agreed between the parties. Failing agreement to concur in the appointment of an Arbitrator, the Arbitrator shall be appointed by the Chairman or Vice Chairman of any of the following professional institutions;

- (i) Architectural Association of Kenya
- (ii) Institute of Quantity Surveyors of Kenya
- (iii) Association of Consulting Engineers of Kenya
- (iv) Chartered Institute of Arbitrators (Kenya Branch)
- (v) Institution of Engineers of Kenya

On the request of the applying party. The institution written to first by the aggrieved party shall take precedence over all other institutions.

- 37.2 The arbitration may be on the construction of this Contract or on any matter or thing of whatsoever nature arising thereunder or in connection therewith, including any matter or thing left by this Contract to the discretion of the Project Manager, or the withholding by the Project Manager of any certificate to which the Contractor may claim to be entitled to or the measurement and valuation referred to in clause 23.0 of these conditions, or the rights and liabilities of the parties subsequent to the termination of Contract.
- 37.3 Provided that no arbitration proceedings shall be commenced on any dispute or difference where notice of a dispute or difference has not been given by the applying party within ninety days of the occurrence or discovery of the matter or issue giving rise to the dispute.
- 37.4 Notwithstanding the issue of a notice as stated above, the arbitration of such a dispute or difference shall not commence unless an attempt has in the first instance been made by the parties to settle such dispute or difference amicably with or without the assistance of third parties. Proof of such attempt shall be required.
- 37.5 Notwithstanding anything stated herein the following matters may be referred to arbitration before the practical completion of the Works or abandonment of the Works or termination of the Contract by either party:
- 37.5.1 The appointment of a replacement Project Manager upon the said person ceasing to act.
- 37.5.2 Whether or not the issue of an instruction by the Project Manager is empowered by these Conditions.
- 37.5.3 Whether or not a certificate has been improperly withheld or is not in accordance with these Conditions.
- 37.5.4 Any dispute or difference arising in respect of war risks or war damage.
- 37.6 All other matters shall only be referred to arbitration after the completion or alleged completion of the Works or termination or alleged termination of the Contract, unless the Employer and the Contractor agree otherwise in writing.
- 37.7 The Arbitrator shall, without prejudice to the generality of his powers, have powers to direct such measurements, computations, tests or valuations as may in his opinion be desirable in order to determine the rights of the parties and assess and award any sums which ought to have been the subject of or included in any certificate.
- 37.8 The Arbitrator shall, without prejudice to the generality of his powers,

have powers to open up, review and revise any certificate, opinion, decision, requirement or notice and to determine all matters in dispute which shall be submitted to him in the same manner as if no such certificate, opinion, decision requirement or notice had been given.

37.9 The award of such Arbitrator shall be final and binding upon the parties.

SECTION IV – APPENDIX TO CONDITIONS OF CONTRACT

THE EMPLOYER IS

Name: -

Address: _____

Name of Authorised Representative: _____

Telephone: _____

Facsimile: _____

The Project Manager is

Name:

Address:

Telephone: _____

Facsimile: _____

The name (and identification number) of the Contract is _____

The Works consist of _____

The Start Date shall be _____

The Intended Completion Date for the whole of the Works shall be

The following documents also form part of the Contract:

The Contractor shall submit a revised program for the Works within 7 days of delivery of the Letter of Acceptance.

The Site Possession Date shall be _____ *Not later than **14** days after signing of Contract Agreement failure to which the project stands terminated* _____

The Site is located at _____ and is defined in drawings nos. _____

The Defects Liability period is 180 days.

Other Contractors, utilities etc., to be engaged by the Employer on the Site Include those for the execution of ;

1. _____

2. _____

3. _____

4. _____

The minimum insurance covers shall be;

1. The minimum cover for insurance of the Works and of Plant and Materials in respect of the Contractor's faulty design is _____

2. The minimum cover for loss or damage to Equipment is _____

3. The minimum for insurance of other property is _____

4. The minimum cover for personal injury or death insurance

- For the Contractor's employees is _____

- And for other people is _____

The following events shall also be Compensation Events:

1.

2.

3.

4.

The period between Program updates is _____ days.

The amount to be withheld for late submission of an updated Program is _____

—

The proportion of payments retained is _____ 10 _____ percent.

The Price Adjustment Clause _____ (shall/shall not) apply

The liquidated damages for the whole of the Works is Kshs. _____(per day)

The Performance Security shall be for the following minimum amounts equivalent as a percentage of the Contract Price----- percent (2%)

The Completion Period for the Works is _____[Weeks]

The rate of exchange for calculation of foreign currency payments is _____.

The schedule of basic rates used in pricing by the Contractor is as attached [*Contractor to attach*].

Advance Payment **SHALL NOT** be granted.

SECTION V - SPECIFICATIONS

Notes for preparing Specifications

- 1.0 Specifications must be drafted to present a clear and precise statement of the required standards of materials, and workmanship for tenderers to respond realistically and competitively to the requirements of the Employer and ensure responsiveness of tenders. The Specifications should require that all materials, plant, and other supplies to be permanently incorporated in the Works be new, unused, of the most recent or current models, and incorporating all recent improvements in design and materials unless provided otherwise in the Contract. Where the Contractor is responsible for the design of any part of the permanent Works, the extent of his obligations must be stated.
- 2.0 Specifications from previous similar projects are useful and may not be necessary to re-write specifications for every Works Contract.

- 3.0 There are considerable advantages in standardizing **General Specifications** for repetitive Works in recognized public sectors, such as highways, urban housing, irrigation and water supply. The General Specifications should cover all classes of workmanship, materials and equipment commonly involved in constructions, although not necessarily to be used in a particular works contract. Deletions or addenda should then adapt the General Specifications to the particular Works.
- 4.0 Care must be taken in drafting Specifications to ensure they are not restrictive. In the Specifications of standards for materials, plant and workmanship, existing Kenya Standards should be used as much as possible, otherwise recognized international standards may also be used.
- 5.0 The Employer should decide whether technical solutions to specified parts of the Works are to be permitted. Alternatives are appropriate in cases where obvious (and potentially less costly) alternatives are possible to the technical solutions indicated in tender documents for certain elements of the Works, taking into consideration the comparative specialized advantage of potential tenderers.

The Employer should provide a description of the selected parts of the Works with appropriate reference to Drawings, Specifications, Bills of Quantities, and Design or Performance criteria, stating that the alternative solutions shall be at least structurally and functionally equivalent to the basic design parameters and Specifications.

Such alternative solutions shall be accompanied by all information necessary for a complete evaluation by the Employer, including drawings, design calculations, technical specifications, breakdown of prices, proposed construction methodology, and other relevant details. Technical alternatives permitted in this manner shall be considered by the Employer each on its own merits and independently of whether the tenderer has priced the item as described in the Employer's design included with the tender documents.

SECTION VI - DRAWINGS

- Note
1. A list of drawings should be inserted here
 2. The actual drawings including Site plans should be annexed in a separate booklet.

SECTION VII - BILL OF QUANTITIES

Notes for preparing Bills of Quantities

- 1.0 The objectives of the Bills of Quantities are;
- (a) to provide sufficient information on the quantities of Works to be performed to enable tenders to be prepared efficiently and accurately; and
 - (b) when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

- 2.0 The Bills of Quantities should be divided generally into the following sections:
- (a) **Preliminaries.**

The preliminaries should indicate the inclusiveness of the unit prices, and should state the methods of measurement which have been adopted in the preparation of the Bill of Quantities and which are to be used for the measurement of any part of the Works.

The number of preliminary items to be priced by the tenderer should be limited to tangible items such as site office and other temporary works, otherwise items such as security for the Works which are primarily part of the Contractor's obligations should be included in the Contractor's rates.

(b) Work Items

- (i) The items in the Bills of Quantities should be grouped into sections to distinguish between those parts of the Works which by nature, location, access, timing, or any other special characteristics may give rise to different methods of construction, or phasing of the Works, or considerations of cost. General items common to all parts of the Works may be grouped as a separate section in the Bill of Quantities.
- (ii) Quantities should be computed net from the Drawings, unless directed otherwise in the Contract, and no allowance should be made for bulking, shrinkage or waste. Quantities should be rounded up or down where appropriate.
- (iii) The following units of measurement and abbreviations are recommended for use.

<i>Unit</i>	<i>Abbreviation</i>	<i>Unit</i>	<i>Abbreviation</i>
cubic meter	m ³ or cu m	millimeter	Mm
hectare hour	ha	month number	nr
kilogram	h	square meter	m ² or sq m
lump sum	kg	square millimeter	mm ² or sq mm
meter	sum	week	wk
metric ton (1,000 kg)	m		
	t		

- (iv) The commencing surface should be identified in the description of each item for Work involving excavation, boring or drilling, for which the commencing surface is not also the original surface. The excavated surface should be identified in the description of each item for Work involving excavation for which the excavated surface is not also the final surface. The depths of Work should be measured from the commencing surface to the excavated surface, as defined.

(c) Daywork Schedule

A Daywork Schedule should be included if the probability of unforeseen work, outside the items included in the Bill of Quantities, is relatively high. To facilitate checking by the Employer of the realism of rates quoted by the tenderers, the Daywork Schedule should normally comprise:

- (i) a list of the various classes of labour, and materials for which basic Day work rates or prices are to be inserted by the tenderer, together with a statement of the conditions under which the Contractor will be paid for Work executed on a Day work basis; and
- (ii) a percentage to be entered by the tenderer against each basic Day work Subtotal amount for labour, materials and plant representing the Contractor's profit, overheads, supervision and other charges.

(d) Provisional Quantities and Sums

- (i) Provision for quantity contingencies in any particular item or class of Work with a high expectation of quantity overrun should be made by entering specific —Provisional Quantities or —Provisional Items in the Bill of Quantities, and *not* by increasing the quantities for that item or class of Work beyond those of the Work normally expected to be required. To the extent not covered above, a general provision for physical contingencies (quantity overruns) should be made by including a —Provisional Sum in the Summary of the Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a —Provisional Sum in the Summary of the Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises.

- (ii) Provisional sums to cover specialized works normally carried out by Nominated Sub Contractors should be avoided and instead Bills of Quantities of the specialised Works should be included as a section of the main Bills of Quantities to be priced by the Main Contractor. The Main Contractor should be required to indicate the name (s) of

the specialised firms he proposes to engage to carry out the specialized Works as his approved domestic sub-contractors. Only provisional sums to

cover specialized Works by statutory authorities should be included in the Bills of Quantities.

(e) Summary

T
h
e
S
u
m
m
a
r
y
s
h
o
u
l
d
c
o
n
t
a
i
n
a
t
a
b
u
l
a
t
i
o
n
o
f
t
h
e
s

e
p
a
r
a
t
e
p
a
r
t
s
o
f
t
h
e
B
i
l
l
s
o
f
Q
u
a
n
t
i
t
i
e
s
c
a
r
r
i
e
d
f
o
r
w
a

r
d
,
w
i
t
h
p
r
o
v
i
s
i
o
n
a
l
s
u
m
s
f
o
r
D
a
y
w
o
r
k
,
f
o
r
p
h
y
s
i
c
a
l
(
q

u
a
n
t
t
i
t
y
)
c
o
n
t
i
n
g
e
n
c
i
e
s
,
a
n
d
f
o
r
p
r
i
c
e
c
o
n
t
i
n
g
e
n
c
i
e
s

(
u
p
w
a
r
d
p
r
i
c
e
a
d
j
u
s
t
t
m
e
n
t
)
w
h
e
r
e
a
p
p
l
i
c
a
b
l
e
.

ITEM	DESCRIPTION	AMOUNT (KSHS)
	<u>BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF THEATRE AT PAP ONDITI HOSPITAL</u>	

A	<p><u>PRICING ITEMS OF PRELIMINARIES</u></p> <p><u>THE FOLLOWING IN PARTICULAR PRELIMINARIES</u></p> <p><u>PARTICULAR PRELIMINARIES ITEMS</u></p> <p>Please note that failure to price any item of general particular preliminaries will be construed to mean that the tenderer wishes to provide for that item free of charge.</p>	
B	<p><u>VALUE ADDED TAX & WITHHOLDING TAX</u></p> <p>The contractor shall allow for addition of 16% Value Added Tax (V.A.T.) within the rates of these Bills of Quantities. Any omission in respect thereof shall be treated and corrected as an arithmetic error as per clause 5 of the instructions to Tenderers. The Contractor shall also allow for 3% Withholding Tax which should be included within the pricing rates</p> <p>Please note that from every Interim and Final Payment 3% Withholding Tax shall be deducted and paid directly to the K.R.A.</p>	
C	<p><u>FIRM PRICE CONTRACT</u></p> <p>This is a firm price contract and the Contractor must allow in his tender rates for any increase in the cost of labour and/ or materials during the currency of the contract.</p>	
D	<p><u>SCOPE OF THE CONTRACT</u></p> <p>The works to be carried out under this contract comprises PROPOSED MATERNITY AND THEATRE BLOCK AT NYAKACH SUB-COUNTY HOSPITAL</p>	
E	<p><u>DESCRIPTION OF THE WORKS</u></p> <p>Work to Substructure and Superstructure with and Including finishes</p>	
F	<p><u>MEASUREMENTS</u></p> <p>In the event of any discrepancies arising between the Bills of Quantities and the actual works, the site measurements shall generally take precedence. However, such discrepancies between any contract document shall immediately be referred to the Project Manager.</p>	
	<p>Total Carried To Collection</p>	

A	<p><u>LOCATION OF SITE</u></p> <p>The site for works is located within Nyakach Sub-County, Kisumu County</p> <p>The tenderer shall be deemed to have visited the site and familiarized himself with all site conditions prior to submission of tenders.</p> <p>No claims arising from the tenderers failure to do so will be entertained.</p>	
---	---	--

B	<p><u>EXISTING BUILDING SERVICES</u></p> <p>Special precautions shall be required throughout the contract period to avoid damage to the existing cables, drains and other services. The Contractor shall allow for making good any damage arising from his actions during execution of this contract at his own expense.</p>	
C	<p><u>GENERAL SPECIFICATIONS</u></p> <p>The Contractor is referred to General Specifications for Building Works – 1976 Edition Pages B1 – B2 and must allow for all costs in complying with these clauses.</p>	
D	<p><u>CONTRACT COMPLETION PERIOD</u></p> <p>The contract completion period in accordance with condition 31 of the conditions of contract must be strictly adhered to.</p> <p>The PROJECT MANAGER shall strictly monitor the Contractors progress in relation to the progress chart and should it be found necessary, the PROJECT MANAGER shall inform the Contractor in writing that his actual performance on site is not satisfactory.</p> <p>In all such cases, the Contractor shall accelerate his rate of performance, production and progress by all means such as additional labour, plant, e.t.c., and working overtime all at his cost.</p>	
E	<p><u>WORKING CONDITIONS</u></p> <p>The Contractor shall allow in his rates for any interference that he may encounter in the course of execution of the works for the Client may in some cases ask the Contractor not to proceed with the works until some activities within the site are completed.</p>	
F	<p><u>SIGN BOARD</u></p> <p>Allow for providing, erecting, maintaining throughout the course of the Contract and afterwards clearing away a signboard as designed, specified and approved by the Project Manager</p>	
	Total Carried To Collection	

A	<p><u>LABOUR CAMPS</u></p> <p>The Contractor shall not be allowed to house labour on site. Allow for transporting workers to and from the site during the tenure of the contract.</p>	
B	<p><u>MATERIALS FROM DEMOLITIONS</u></p> <p>Any materials arising from demolitions and not re-used shall become the property of the government.</p>	
C	<p><u>PRICING RATES</u></p> <p>The tenderer shall include for all costs in executing the whole of the works, including transport, replacing damaged items, fixing all to comply with the said Conditions of Contract.</p>	

D	<p><u>PARTICULARS OF INSERTIONS TO BE MADE IN APPENDIX TO THE CONTRACT AGREEMENT</u></p> <p><u>The following are the insertions to be made in the appendix to the Contract Agreement: -</u></p> <p>Period of Final Measurement - 3 Months From Practical completion</p> <p>Defects Liability Period - 6 Months from practical completion</p> <p>Date for Possession - To be agreed with the Project Manager</p> <p>Date for Completion - - To be agreed with the Project Manager</p> <p>Liquidated and Ascertained At the rate of Kshs ... per week or part thereof</p> <p>Prime cost sums for which the The Contractor desires to tender</p> <p>(a)</p> <p>(b)</p> <p>©</p> <p>Period of Interim Certificate - Monthly</p> <p>Period of Honouring Certificates - 30 days</p> <p>Percentage of Certified Value Retained -10%</p> <p>Limit of Retention Fund - 10%</p> <p>Bonds Shall be from Approved Banks and Insurance Companies</p>	
	Total Carried To Collection	

	<p><u>COLLECTION</u></p> <p>Brought Forward From Page P/1</p> <p>Brought Forward From Page P/2</p> <p>Brought Forward From Page P/3</p>	
	TOTAL FOR PARTICULAR PRELIMINARIES ~ CARRIED TO GRAND SUMMARY	-

<p>A</p>	<p><u>PRICING OF ITEMS OF PRELIMINARIES AND PREAMBLES</u></p> <p><u>THE FOLLOWING IN GENERAL PRELIMINARIES</u></p> <p><u>Prices will be inserted against items of Preliminaries in the Contractor's priced Bills of Quantities and Specifications.</u></p> <p>The Contractor shall be deemed to have included in his prices or rates for the various items in the Bills of Quantities or Specification for all costs involved in complying with all the requirements for the proper execution of the whole of the works in the Contract.</p>	<p>-</p>
<p>B</p>	<p><u>ABBREVIATIONS</u></p> <p>Throughout these Bills, units of measurement and terms are abbreviated and shall be interpreted as follows:-</p> <p>C.M. Shall mean cubic metre</p> <p>S.M. Shall mean square metre</p> <p>L.M. Shall mean linear metre</p> <p>mm Shall mean millimetre</p> <p>KG. Shall mean Kilogramme</p> <p>NO. Shall mean Number</p> <p>PRS. Shall mean Pairs</p> <p>B.S. Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England.</p> <p>Ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs.</p> <p>m.s. Shall mean measured separately.</p> <p>a.b.d Shall mean as before described.</p> <p>P.M. Shall mean Project Manager</p>	<p>-</p>
		<p>-</p>

A	<p><u>EXCEPTION TO THE STANDARD METHOD OF MEASUREMENT</u></p> <p>Attendance ; Clause B19(a) of the Standard Method of Measurement is deleted and the following clause is substituted:-</p> <p>Attendance on nominated Sub-Contractors shall be given as an item in each case shall be deemed to include: allowing use of standing scaffolding, mess rooms, sanitary accommodation and welfare facilities; provision of special scaffolding where necessary; providing space for office accommodation and for storage of plant and materials; providing light and water for their work: clearing away rubbish; unloading checking and hoisting: providing electric power and removing and replacing duct covers, pipe casings and the like necessary for the execution and testing of Sub- Contractors' work and being responsible for the accuracy of the same.</p> <p><u>Fix Only:-</u></p> <p>Fix Only shall mean take delivery at nearest station (Unless otherwise directed by the Project Manager), pay all demurrage charges, load and transport to site where necessary, unload, store, unpack, assemble as necessary, distribute to position, hoist and fix only.</p>	
B	<p><u>EMPLOYER</u></p> <p>The "Employer" is: The COUNTY GOVERNMENT OF KISUMU</p> <p>The term "Employer" and "Government" wherever used in the contract document shall be synonymous</p>	
C	<p><u>PROJECT MANAGER</u></p> <p>The term "P.M." wherever used in these Bills of Quantities shall be deemed to imply the Project Manager as defined in Condition 1 of the Conditions of Contract or such person or persons as may be duly authorised to represent him on behalf of the Government.</p>	
D	<p><u>ARCHITECT</u></p> <p>The term "Architect" shall be deemed to mean "The P.M."</p>	
E	<p><u>QUANTITY SURVEYOR</u></p> <p>The term "Quantity Surveyor" shall be deemed to mean "The P.M."</p>	
	<p>Total Carried To Collection</p>	

A	<p><u>ELECTRICAL ENGINEER</u></p> <p>The term "Electrical Engineer" shall be deemed to mean "The P.M."</p>	
B	<p><u>MECHANICAL ENGINEER</u></p> <p>The term "Mechanical Engineer" shall be deemed to mean "The P.M."</p>	

C	<p><u>STRUCTURAL ENGINEER</u></p> <p>The term "Structural Engineer" shall be deemed to mean "The P.M."</p>	
D	<p><u>FORM OF CONTRACT</u></p> <p>The Form of Contract shall be as stipulated in the Republic of Kenya's Standard Tender Document for Procurement of Building Works(2006 Edition) included herein</p> <p>The Conditions of Contract are also included herein</p> <p>Conditions of Contract; These are numbered from 1 to 38 as set out in pages 18 to 38 of these tender documents</p> <p>Particulars of insertions to be made in the Appendix to the Contract Agreement will be found in the Particular Preliminaries part of these Bills of Quantities</p>	
E	<p><u>BOND.</u></p> <p>The Contractor shall find and submit on the Form of Tender and approved bank and who will be willing to be bound the Government in and amount equal to five per cent (5%) of the Contract amount for the due performances of the Contract up to the date of completion as certified by the PROJECT MANAGER and who will when and if called upon, sign a Bond to that effect on the relevant standard form included herein. (without the addition of any limitations) on the same day as the Contract Agreement is signed, by the Government, the Contractor shall furnish within seven days another Surety to the approval of the Government.</p>	
F	<p><u>PLANT, TOOLS AND VEHICLES</u></p> <p>Allow for providing all scaffolding, plant, tools and vehicles required for the works except in so far as may be stated otherwise herein and except for such items specifically and only required for the use of nominated Sub-Contractors as described herein. No timber used for scaffolding, formwork or temporary works of any kind shall be used afterwards in the permanent work.</p>	
	<p>Total Carried To Collection</p>	

A	<p><u>TRANSPORT</u></p> <p>Allow for transport of workmen, Ministry of works supervision personnel, materials, etc., to and from the site at such hours and by such routes as may be permitted by the competent authorities.</p>	
B	<p><u>MATERIALS AND WORKMANSHIP.</u></p> <p>All materials and workmanship used in the execution of the work shall be of the best quality and description unless otherwise stated. The Contractor shall order all materials to be obtained from overseas immediately after the Contract is signed and shall also order materials to be obtained from local sources as early as necessary to ensure that they are onsite when required for use in the works. The Bills of Quantities shall not be used for the purpose of ordering materials.</p>	
C	<p><u>SIGN FOR MATERIALS SUPPLIED.</u></p>	

	<p>The Contractor will be required to sign a receipt for all articles and materials supplied by the PROJECT MANAGER at the time of taking deliver thereof, as having received them in good order and condition, and will thereafter be responsible for any loss or damage and for replacements of any such loss or damage with articles and/or materials which will be supplied by the PROJECT MANAGER at the current market prices including Customs Duty and V.A.T., all at the Contractor's own cost and expense, to the satisfaction of the PROJECT MANAGER</p>	
D	<p><u>STORAGE OF MATERIALS</u></p> <p>The Contractor shall provide at his own risk and cost where directed on the site weather proof lockup sheds and make good damaged or disturbed surfaces upon completion to the satisfaction of the PROJECT MANAGER Nominated Sub-Contractors are to be made liable for the cost of any storage accommodation provided especially for their use.</p>	
E	<p><u>SAMPLES</u></p> <p>The Contractor shall furnish at his own cost any samples of materials or workmanship including concrete test cubes required for the works that may be called for by the PROJECT MANAGER for his approval until such samples are approved by the PROJECT MANAGER and the PROJECT MANAGER, may reject any materials or workmanship not in his opinion to be up to approved samples. The PROJECT MANAGER shall arrange for the testing of such materials as he may at his discretion deem desirable, but the testing shall be made at the expense of the Contractor and not at the expense of the PROJECT MANAGER. The Contractor shall pay for the testing in accordance with the current scale of testing charges laid down by the Ministry of Roads, Housing and Public Works.</p> <p>The procedure for submitting samples of materials for testing and the method of marking for identification shall be as laid down by the PROJECT MANAGER The Contractor shall allow in his tender for such samples and tests except those in connection with nominated sub-contractors' work.</p>	
	Total Carried To Collection	

A	<p><u>GOVERNMENT ACTS REGARDING WORKPEOPLE ETC.</u></p> <p>Allow for complying with all Government Acts, Orders and Regulations in connection with the employment of Labour and other matters related to the execution of the works. In particular the Contractor's attention is drawn to the provisions of the Factory Act 1950 and his tender must include for all costs arising or resulting from compliance with any Act, Order or Regulation relating to Insurances, pensions and holidays for workpeople or so the safety, health and welfare of the workpeople.</p> <p>The Contractor must make himself fully acquainted with current Acts and Regulations, including Police Regulations regarding the movement, housing, security and control of labour, labour camps , passes for transport, etc. It is most important that the Contractor, before tendering, shall obtain from the relevant Authority the fullest information regarding all such regulations and/or restrictions which may affect the organisation of the works, supply and control of labour, etc., and allow accordingly in his tender. No claim in respect of want of knowledge in this connection will be entertained.</p>	
----------	---	--

B	<p><u>SECURITY OF WORKS ETC.</u></p> <p>The Contractor shall be entirely responsible for the security of all the works stores, materials, plant, personnel, etc., both his own and sub-contractors' and must provide all necessary watching, lighting and other precautions as necessary to ensure security against theft, loss or damage and the protection of the public.</p>	
C	<p><u>PUBLIC AND PRIVATE ROADS.</u></p> <p>Maintain as required throughout the execution of the works and make good any damage to public or private roads arising from or consequent upon the execution of the works to the satisfaction of the local and other competent authority and the PROJECT MANAGER</p>	
D	<p><u>EXISTING PROPERTY.</u></p> <p>The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER</p>	
C	<p><u>VISIT SITE AND EXAMINE DRAWINGS.</u></p> <p>The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which, may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.</p>	
	<p>Total Carried To Collection</p>	

A	<p><u>ACCESS TO SITE AND TEMPORARY ROADS</u></p> <p>Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads (approximately 70 metres long) for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER</p>	
B	<p><u>AREA TO BE OCCUPIED BY THE CONTRACTOR</u></p> <p>The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting workshops, etc., shall be defined on site by the PROJECT MANAGER</p>	

C	<p><u>OFFICE ETC. FOR THE PROJECT MANAGER</u></p> <p>The Contractor shall provide, erect and maintain where directed on site and afterwards dismantle the site office of the type noted in the Particular Preliminaries, complete with Furniture. He shall also provide a strong metal trunk complete with strong hasp and staple fastening and two keys. He shall provide, erect and maintain a lock-up type water or bucket closet for the sole use of the PROJECT MANAGER including making temporary connections to the drain where applicable to the satisfaction of Government and Medical Officer of Health and shall provide services of cleaner and pay all conservancy charges and keep both office and closet in a clean and sanitary condition from commencement to the completion of the works and dismantle and make good disturbed surfaces.</p> <p>The office and closet shall be completed before the Contractor is permitted to commence the works. The Contractor shall make available on the Site as and when required by the "PROJECT MANAGER" a modern and accurate level together with levelling staff, ranging rods and 50 metre metallic or linen tape.</p>	
D	<p><u>WATER</u></p> <p>The Contractor shall provide at his own risk and cost all necessary water for use in the works. The Contractor must make his own arrangements for connection to the nearest suitable water main and for metering the water used. He must also provide temporary tanks and meters as required at his own cost and clear away when no longer required and make good on completion to the entire satisfaction of the PROJECT MANAGER .</p>	
E	<p><u>ELECTRICITY AND LIGHTING</u></p> <p>The Contractor shall provide all necessary electricity and artificial lighting and pay all charges in connection herewith, removing the same and making good.</p>	
	<p>Total Carried To Collection</p>	

A	<p><u>SANITATION OF THE WORKS</u></p> <p>The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and/or Local Authorities, Labour Department and the PROJECT MANAGER</p>	
B	<p><u>SUPERVISION AND WORKING HOURS</u></p> <p>The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract.</p>	
C	<p><u>PROVISIONAL SUMS</u></p> <p>The term "Provisional Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement mentioned in Condition No. 16 of the conditions of Contract. Such sums are net and no addition shall be made to them for profit.</p>	

<p>D</p>	<p><u>PRIME COST (OR P.C.) SUMS.</u></p> <p>The term "Prime Cost Sum" or "P.C. Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement mentioned in Condition No. 16 of the conditions of Contract. Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods as stated in Condition No. 20 of the Conditions of Contract are described herein as Nominated Sub-Contractors.</p> <p>Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers.</p>
<p>E</p>	<p><u>PROGRESS CHART.</u></p> <p>The Contractor shall provide within two weeks of Possession of Site and in agreement with the PROJECT MANAGER a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors ; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.</p>
<p>F</p>	<p><u>LABOUR/WAGES</u></p> <p>The cost of labour to the Contractor; being all direct cost of labour actually remunerated to workmen concerned as per labour Acts and regulation. Proof furnished by the Contractor.</p>
	<p>Total Carried To Collection</p>

<p>A</p>	<p><u>ADJUSTMENT OF P.C. SUMS.</u></p> <p>In the final account all P.C. Sums shall be deducted and the amount properly expended upon the PROJECT MANAGER'S order in respect of each of them added to the Contract sum. The Contractor shall produce to the PROJECT MANAGER such quotations, invoices or bills, properly receipted, as may be necessary to show the actual details of the sums paid by the Contractor. Items of profit upon P.C. Sums shall be adjusted in the final account pro-rata to the amount paid.</p> <p>Items of "attendance" (as previously described) following P.C. Sums shall be adjusted pro-rata to the physical extent of the work executed (not pro-rata to the amount paid) and this shall apply even though the Contractor's priced Bill shows a percentage in the rate column in respect of them.</p> <p>Should the Contractor be permitted to tender and his tender be accepted of any work for which a P.C. Sum is included in these Bill of Quantities profit and attendance will be allowed at the same rate as it would be as if the work were executed by a Nominated Sub-Contractor.</p>
<p>B</p>	<p><u>ADJUSTMENT OF PROVISIONAL SUMS.</u></p> <p>In the final account all Provisional Sums shall be deducted and the value of the work properly executed in respect of them upon the PROJECT MANAGER's order added to the Contract Sum. Such work shall be valued as described for Variations in Conditions No. 13 of the Conditions of Contract, but should any part of the work be executed by a Nominated Sub-Contractor, the value of such work or articles for the work to be supplied by a Nominated Supplier, the value of such work or articles shall be treated as a P.C. Sum and profit and attendance comparable to that contained in the priced Bills of Quantities for similar items added.</p>

C	<p><u>NOMINATED SUB-CONTRACTORS</u></p> <p>When any work is ordered by the PROJECT MANAGER to be executed by nominated sub-contractors, the Contractor shall enter into sub-contracts as described in Condition No. 20 of the Conditions of Contract and shall thereafter be responsible for such sub-contractors in every respect. Unless otherwise described the Contractor is to provide for such Sub-Contractors any or all of the facilities described in these Preliminaries. The Contractor should price for these with the nominated Sub-contract Contractor's work concerned in the P.C. Sums under the description "add for Attendance".</p>	
D	<p><u>DIRECT CONTRACTS</u></p> <p>Notwithstanding the foregoing conditions, the Government reserves the right to place a Direct Contract for any goods or services required in the works which are covered by a P.C. Sum in the Bills of Quantities and to pay for the same direct. In any such instances, profit relative to the P.C. Sum the priced Bills of Quantities will be adjusted as described for P.C. Sums and allowed.</p>	
	Total Carried To Collection	

A	<p><u>ATTENDANCE UPON OTHER TRADESMEN, ETC.</u></p> <p>The Contractor shall allow for the attendance of trade upon trade and shall afford any tradesmen or other persons employed for the execution of any work not included in this Contract every facility for carrying out their work and also for use of his ordinary scaffolding. The Contractor, however, shall not be required to erect any special scaffolding for them. The Contractor shall perform such cutting away for and making good after the work of such tradesmen or persons as may be ordered by the PROJECT MANAGER and the work will be measured and paid for to the extent executed at rates provided in these Bills.</p>	
B	<p><u>INSURANCE</u></p> <p>The Contractor shall insure as required in Conditions Nos. 22 and 23 of the Conditions of Contract. No payment on account of the work executed will be made to the Contractor until he has satisfied the PROJECT MANAGER either by production of an Insurance Policy or and Insurance Certificate that the provision of the foregoing Insurance Clauses have been complied with in all respects. Thereafter the PROJECT MANAGER shall from time to time ascertain that premiums are duly paid up by the Contractor who shall if called upon to do so, produce the receipted premium renewals for the PROJECT MANAGER's inspection.</p>	
C	<p><u>PROVISIONAL WORK</u></p> <p>All work described as "Provisional" in these Bills of Quantities is subject to remeasurement in order to ascertain the actual quantity executed for which payment will be made. All "Provisional" and other work liable to adjustment under this Contract shall be made. All "Provisional" and other work liable to adjustment under this Contract shall left uncovered for a reasonable time to allow all measurements needed for such adjustment to be taken by the PROJECT MANAGER</p> <p>Immediately the work is ready for measuring, the Contractor shall give notice to the PROJECT MANAGER. If the Contractor makes default in these respects he shall if the PROJECT MANAGER so directs uncover the work to enable all measurements to be taken and afterwards reinstate at his own expense.</p>	

D	<p><u>ALTERATIONS TO BILLS, PRICING, ETC.</u></p> <p>Any unauthorised alteration or qualification made to the text of the Bills of Quantities may cause the Tender to be disqualified and will in any case be ignored.</p> <p>The Contractor shall be deemed to have made allowance in his prices generally to cover any items against which no price has been inserted in the priced Bills of Quantities.</p> <p>All items of measured work shall be priced in detail and the Tenders containing Sums to cover trades or groups of work must be broken down to show the price of Lump of each item before they will be accepted.</p>	
	Total Carried To Collection	

A	<p><u>BLASTING OPERATIONS</u></p> <p>Blasting will only be allowed with the express permission of the PROJECT MANAGER in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost in accordance with any Government regulations in force for the time being, and any special regulations laid down by the PROJECT MANAGER governing the use and storage of explosives.</p>	
B	<p><u>MATERIALS ARISING FROM EXCAVATIONS</u></p> <p>Materials of any kind obtained from the excavations shall be the property of the Government. Unless the PROJECT MANAGER directs otherwise such materials shall be dealt with as provided in the Contract. Such materials shall only be used in the works, in substitution of materials which the Contractor would otherwise have had to supply with the written permission of the PROJECT MANAGER Should such permission be given, the Contractor shall make due allowance for the value of the materials so used at a price to be agreed.</p>	
C	<p><u>PROTECTION OF THE WORKS.</u></p> <p>Provide protection of the whole of the works contained in the Bills of Quantities, including casing , casing up, covering or such other means as may be necessary to avoid damage to the satisfaction of the PROJECT MANAGER and remove such protection when no longer required and make good any damage which may nevertheless have been done at completion free of cost to the Government.</p>	
D	<p><u>REMOVAL OF RUBBISH ETC.</u></p> <p>Removal of rubbish and debris from the Buildings and site as it accumulates and at the completion of the works and remove all plant, scaffolding and unused materials at completion.</p>	

E	<p><u>WORKS TO BE DELIVERED UP CLEAN</u></p> <p>Clean and flush all gutters, rainwater and waste pipes, manholes and drains, wash (except where such treatment might cause damage) and clean all floors, sanitary fittings, glass inside and outside and any other parts of the works and remove all marks, blemishes, stains and defects from joinery, fittings and decorated surfaces generally, polish door furniture and bright parts of metalwork and leave the whole of the buildings watertight, clean, perfect and fit for occupation to the approval of the PROJECT MANAGER</p>	
F	<p><u>FIRM PRICE CONTRACT</u></p> <p>Unless otherwise specifically stated in the Particular Preliminaries this is a firm price contract and the Contractor must allow in his tender rates for any increase in the cost of labour and/or materials during the currency of the contract.</p>	
	<p>Total Carried To Collection</p>	

A	<p><u>GENERAL SPECIFICATION.</u></p> <p>For the full description of materials and workmanship, method of execution of the work and notes for pricing, the Contractor is referred to the Ministry of Roads and Public Works and Housing General Specification dated 1976 or any subsequent revision thereof which is issued as a separate document, and which shall be allowed in all respects unless it conflicts with the General Preliminaries, Trade Preambles or other items in these Bills of Quantities.</p>	
B	<p><u>TRAINING LEVY</u></p> <p>The Contractor's attention is drawn to legal notice No. 237 of October, 1971, which requires payment by the Contractor of a Training Levy at the rate of 1/4 % of the Contract sum on all contracts of more than Kshs. 50,000.00 in value.</p>	
C	<p><u>MATERIALS ON SITE</u></p> <p>All materials for incorporation in the works must be stored on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER.</p> <p>This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers.</p>	

D

HOARDING

The Contractor shall enclose the site or part of the works under construction with a hoarding 2400 mm high consisting of iron sheets on 100 x 50 mm timber posts firmly secured at 1800 mm centres with two 75 x 50 mm timber rails. The Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.

E

CONTRACTOR'S SUPERINTENDENCE/SITE AGENT

The Contractor shall constantly keep on the works a literate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and shall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the Project Manager and such directions shall be deemed to have been given to the Contractor in accordance with the Conditions of Contract.

F

COPYRIGHT

The copyright of these documents is vested in the County Quantity Surveyor, County Public Works. No part of this document may be reproduced in any form or by any means without their prior permission.

Total Carried To Collection

	<p><u>COLLECTION</u></p> <p>Brought Forward From Page P/4</p> <p>Brought Forward From Page P/5</p> <p>Brought Forward From Page P/6</p> <p>Brought Forward From Page P/7</p> <p>Brought Forward From Page P/8</p> <p>Brought Forward From Page P/9</p> <p>Brought Forward From Page P/10</p> <p>Brought Forward From Page P/11</p> <p>Brought Forward From Page P/12</p> <p>Brought Forward From Page P/13</p> <p>Brought Forward From Page P/14</p> <p>Brought Forward From Page P/15</p>	
	TOTAL FOR GENERAL PRELIMINARIES ~ CARRIED TO GRAND SUMMARY	

ITEM	DESCRIPTION	UNIT	QTY	RATE	
	<p><u>BILLS OF QUANTITIES</u></p> <p><u>ELEMENT NO.2</u></p> <p><u>DEMOLITION</u></p>				
A	Carefully demolish existing columns and Ground Beams and cart away/ re-use materials as directed	Item	1		
	<u>TOTAL FOR RC SUPERSTRUCTURE</u> <u>CARRIED TO SUMMARY</u>			KSHS.	

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<u>BILLS OF QUANTITIES</u> <u>ELEMENT NO.1</u> <u>SUBSTRUCTURE</u> <u>(All Provisional)</u> <u>NOTES</u>				
1	The Tenderer's attention is drawn to the Preliminaries Contract Particulars Clause 8.0 which states that the Standard Method of Measurement is the June 2008 Edition. Per Clause D5(g) of this S.M.M all excavations in this BoQ have been measured NET and no allowance has been made for working space and the tenderer is shall price for the excavations accordingly.				
2	Cement for all Structural Works in these Bills of Quantities shall strictly be Grade 32.5				
3	Cement for Non-Structural Works in these Bills of Quantities shall be Grade 32.5				
4	All Reinforcement in these Bills of Quantities shall be to BS 4449:1997 with the following characteristic; a) Grade 460 B high strength type 2 Ribbed bars with proof stress of 460N/mm² ; allow for cutting, bending, hoisting and fixing including all necessary trying wires and spacer stools;				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	PROPOSED CONSTRUCTION OF THEATRE ELEMENT NO.01 <u>SUBSTRUCTURES (CONT'D)</u>				
A	Clear site of all bushes,shrubs and trees girth not exceeding 600mm,grub out roots,stamps and dispose off	m2	1,788		
B	Allow for plunking and strutting	Item	1		

C	Allow for keeping excavations free from underground or storm water	Item	1		
D	Excavate to remove top vegetable soil average 200mm deep; remove from site as directed	m2	1,788		
F	Excavate for foundations trench not exceeding 1.5 m deep from stripped level	m3	485		
G	Ditto for Column Bases not exceeding 1.5 m deep from reduced level	m3	40		
H	Extra over for excavating in rock of any class <u>Disposal</u>	m3	20		
I	Backfilling around foundations & columns	m3	120		
	<u>Carried to Collection</u>			Kshs.	

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<u>SUBSTRUCTURE CONT...</u>				
A	Load and cart away surplus spoil,exceeding 100mm away from site <u>Imported filling</u>	m3	740		
B	300mm Thick approved hardcore under floor bed well compacted	m2	1,318		
C	50mm Thick Murram blinding well compacted to receive floor bed <u>Anti-termite treatment</u>	m2	1,318		
D	Chemical anti-termite treatment executed by an approved specialist under a ten-year guarantee to horizontal surfaces of the floor slab and around the plinth, e.t.c.	m2	1,318		
E	Concrete Class (1:3:6) in 50mm thick blinding under :-	m2	421		

	Strip foundations for masonry walling				
F	Column bases	m2	47		
	<u>Carried to Collection</u>			Kshs.	

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<u>SUBSTRUCTURE CONT...</u> <u>Vibrated reinforced concrete class 25 in:</u>				
A	Columns	m3	10		
B	Strip foundations	m3	84		
C	150 mm Thick floor slab	m2	1,318		
D	Ground Beam	m3	62		
E	Column bases	m3	34		
F	12mm flexcell expansion joint	m2	49		
G	25x25mm "expendite" sealant <u>Steel mesh fabric reinforcement to B.S. 1483</u>	m	49		
H	Ref. A142 Layer of fabric mesh reinforcement laid in bed with 150mm side and end laps	m2	1,318		
	<u>Carried to Collection</u>			Kshs.	

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
------	-------------	------	-----	------	--------

	<p><u>Reinforcement</u></p> <p><u>Reinforcement to BS 4449:1997 with the following characteristic; a) Grade 460 B high strength type 2 Ribbed bars with proof stress of 460N/mm²; allow for cutting, bending, hoisting and fixing including all necessary tying wires and spacer stools</u></p>				
A	Assorted bars	Kg	8,414		
	<u>Sawn formwork to:</u>				
B	Sides of column and column bases	m ²	89		
C	Sides of strip foundations	m ²	280		
D	Edges of floor beds 75 - 160mm high	m	340		
	Sides of Ground Beam	m ²	624		
	<p><u>Walling</u></p> <p><u>Natural Stone walling in cement sand mortar (1:4) with minimum crushing strength of 7.0 N/mm²</u></p>				
F	200mm Thick walling	m ²	936		
	<u>Carried to Collection</u>			Kshs.	

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<u>Damp proof membrane as described :-</u>				
A	1000 Gauge polythene sheet damp proof membrane to horizontal surfaces	m ²	1,318		
	<u>laid on and including cement sand (1:3) levelling screed</u>				
B	200mm Wide	m	602		

C	150mm ditto <u>Plinths</u> <u>Cement sand (1:4) render to :-</u>	m	100		
D	12mm Thick render to wall externally <u>Prepare and apply two coats of bituminous paint to :-</u>	m2	85		
E	Rendered walls externally	m2	85		
				Kshs.	
	<p align="center"><u>Carried to Collection</u></p> <p align="center"><u>COLLECTION</u></p> <p align="center">Page No. 2/1</p> <p align="center">Page No. 3/1</p> <p align="center">Page No. 4/1</p> <p align="center">Page No. 5/1</p> <p align="center">From above</p> <p align="center"><u>TOTAL FOR SUBSTRUCTURES</u></p> <p align="center"><u>CARRIED TO SUMMARY</u></p>				
				KSHS.	

ITEM	DESCRIPTION	UNIT		RATE	
	<p><u>BILLS OF QUANTITIES</u></p> <p><u>ELEMENT NO.2</u></p> <p><u>RC SUPERSTRUCTURE</u></p> <p><u>Concrete Class 20mm in:-</u></p>				
A	Columns	m3	21		
B	Ring beams and lintols	m3	62		
C	Ramp and steps	m3	2		
	<u>Reinforcement; as before described</u>				
D	Assorted bars	Kg	6,277		
	<u>Sawn formwork to :-</u>				
E	Vertical sides of columns	m2	320		
F	Sides of ring beams	m2	623		
G	Soffites of beams	m2	155		
	<p><u>TOTAL FOR RC SUPERSTRUCTURE</u></p> <p><u>CARRIED TO SUMMARY</u></p>				
				KSHS.	

RC Superstructure

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<p><u>BILLS OF QUANTITIES</u></p> <p><u>ELEMENT NO. 3</u></p> <p><u>Walling</u></p>				

A	200mm thick natural machine dressed stone walling internally incement mortar 1:4 with and including hoop-iron after every 2nd alternate course	m2	1119		
B	150mm thick ditto	m2	331		
C	Approved baked clay vent blocks in cement sand mortor 1:3 and hoop iron as appropriate	m2	8		
D	12mm flexcell expansion joint	m2	49		
E	25x25mm "expendite" sealant <u>All provisional</u> Demountable partitions,powder coated Aluminium <u>sections channels,plates in partitions fixed as per manufactures specs</u>	m	49		
F	100x54.2mm Aluminium channel screwed to concrete floor	m	24		
G	100x50mm ditto but top rail fixed to ceiling/soffites	m	29		
	<u>Carried to Collection</u>			Kshs.	

Walling

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	WALLING CONT...				
A	100x50mm middle rail	m	52		
B	50x10.5x2mm verticle frame	m	98		
C	20x20mm ditto beading	m	108		
D	20.3x71.5mm heavy duty p.v.c cover plate	m	98		
E	25mm thick mahogany veneered to both sides blockboard fixed to Aluminium frame (m.s) with	m	72		
F	6mm thick clear float glass fixed to Aluminium frame with Aluminium beading	m	22		
	<u>Carried to Collection</u>			Kshs.	
	COLLECTION				
	Page No. 1/3				
	Page above				
	TOTAL FOR EXTERNAL WALLS CARRIED			KSHS.	

TO SUMMARY

Walling

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<u>ELEMENT NO.4</u>				
	<u>ROOF CONSTRUCTION, COVERINGS AND RAINWATER DISPOSAL</u>				
	<u>ROOF COVERINGS</u>				
A	Gauge 28 versatile profiled tile shaped roof cover fixed with rubber washers to match	m2	1080		
B	Ditto 450mm wide ridge/hip cover	m	104		
C	Ditto valley gutter 1.2m wide in plain sheet flushed to both sides of roof cover	m	55		
D	Raking and cutting roof cover at hips and valleys	m	110		
	<u>All in sawn celcured and well seasoned cypress hoisted approx.6m above G.L</u>				
	<u>Rates to include all necessary bolting and/or nailing</u>				
E	75 x 50 mm Purlins	m	1860		
F	150 x 50 mm Rafters	m	566		
G	150 x 50 mm Rafters	m	483		
H	150 x 50 mm Wall plate	m	130		
	<u>Carried to Collection</u>			Kshs.	

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	ROOF CONT...				
A	100 x 50 mm Struts and kingposts	m	579		
B	200x25mm wrott fascia and vergeboard	m	163		
	<u>Wrot treated prime grade cypress</u>				

C	32x25mm batten at ridges to nail coffee tray anti-bats wire(m.s and "U" shaped and flushed to ridges	m	215		
D	Approved coffee tray wire at roof vents	m	108		
	<u>Sundries</u>				
E	Bed wall plate in cement sand mortar 1:3	m	130		
F	12mm dia. 300mm long mild steel anchor bolts with head ,nuts,washers and split ring cast into ring beam and bolted to wall plate(m.s) work	no	41		
G	95x95x5mm thick truss fastening plate bent in centre line,seventeen times spiked to trusses and nailed to wall plate	no	87		
H	Bore 12mm dia. Holes through 50mm thick wall plate at 2m centres	no	52		
I	Knot,prime,stop and apply 3 coats super gloss oil paint to surface of fascia and vergeboard 200-300mm high	m	163		
	<u>Carried to Collection</u>			Kshs.	

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	ROOF CONT...				
	<u>Rainwater goods</u>				
A	150mm half dia. P.V.C gutter complete with clip holders at 2m spacing and all ends	m	163		
B	Extra over ditto for stopped ends	no	16		
C	Extra over ditto for connectors at joints nailed to fascia(m	No.	54		
D	Extra over ditto for swan necks	No.	16		
E	Ditto horse-shoe ditto with 600mm offset	No.	16		
F	75mm dia p.v.c downpipe to match,cliped to walls	m	48		
	<u>Carried to Collection</u>			Kshs.	

COLLECTION			
Page No. 1/4			
Page No. 2/4			
Page above			
TOTAL FOR ROOF CARRIED TO SUMMARY			KSHS.

ITEM	DESCRIPTION	UNIT	QTY.	RATE	KSHS.
	<u>BILLS OF QUANTITIES</u>				
	<u>ELEMENT NO. 5</u>				
	<u>WINDOWS</u>				
	<u>STEEL WINDOWS</u>				
	<u>Supply and fix the following purpose made casement windows comprising of 50 x 50 x 16 G and 25 mm "Z" section framing including all coupling mullions etc;and complete with bronze handles ,peg stays and other ironmongery; factory primed with red oxide primer including cutting and pinning fixing lugs to concrete or masonry work jambs ; bedding in cement and sand (1:3) mortar , pointing all round frames in mastic ,easing ,oiling and adjusting opening lights on completion, including 4 mm glazing; All as per the architect's Schedule of windows</u>				
A	Permanent vent fixed window size 4000 x 1000mm high	No.	2		
B	Ditto 3800 x 1000 mm high	No.	2		
C	Ditto 2600 x 2000 mm high	No.	3		
D	Ditto 2000 x 2000 mm high	No.	51		
E	Ditto 1800 x 2000 mm high	No.	4		
F	Ditto 2000x1100mm high	No.	13		
G	Ditto 1600x2000mm high	No.	2		
H	Ditto 1000x2000mm high	No.	3		

I	Ditto 1000x1100mm high	No.	9		
	<u>Glazing</u>				
F	4mm thick clear sheet glass in panes 0.1-0.5sm fixed in steel window panes with putty	sm	301		
	<u>Window cill</u>				
	<u>Precast concrete weathered and throated window cills</u>				
G	Window cill over all size 250 x 75 mm high reinforced with 2 No. 8mm dia. Bars	m	157		
	Carried to collection				

Windows

ITEM	DESCRIPTION	UNIT	QTY.	RATE	KSHS.
	<u>Wrott cypress pelmet boxes</u>				
A	32 x 50mm batten plugged	m	157		
B	25 x150mm top	m	157		
C	25 x 200mm fascia with one long labour	m	157		
D	20 x 130mm end to fascia 100mm long neatly	m	192		
E	"I"section brass curtain track complete with rollers at 150mm centres screwd to timber including end,stops pals etc	m	157		
	<u>Painting</u>				
	<u>Prepare,prime and apply 3 coats of super gloss oil paint as"crow" or any other equal and approved to surface of</u>				
F	: Windows externally	m2	203		
	<u>Knot,prime stop and apply 3 coats of super gloss oil paint as"crow" or any other equal and approved to surface of :</u>				
H	200-300mm high	m	143		
I	Not exceeding 100mm high	m	143		
	<u>Prepare and apply one coat Aluminium wood primer to surface of wood before fixing:</u>				
J	Surfaces not exceeding 100mm high	m	76		

<p>Carried to collection</p> <p style="text-align: center;"><u>COLLECTION</u></p> <p>Page 1/5</p> <p>Above</p> <p style="text-align: center;"><u>TOTAL FOR WINDOWS CARRIED TO SUMMARY</u></p>					
				KSHS.	

Windows

ITEM	DESCRIPTION	UNIT	QTY	RATE	KSHS.
	<u>BILLS OF QUANTITIES</u>				
	<u>ELEMENT NO. 6</u>				
	<u>DOORS</u>				
A	Provide and fix purpose made steel door in 32 x25x3mm R.H.S frame and checkered 2mm thick plate as required size 1800x2400mm high, double leaf openable size 900x2400mm and top as glass(m.s) pane size 1500x2000mm high, with all necessary burglar proofing, complete with stays fasteners, lugs rawl bolts and one coat red oxide primer including casting into block walling in cement sand mortar 1:3	No.	2		
B	Ditto for single 900x2400mm high	No.	6		
	<u>Panelled Doors</u>				
	50mm Thick solid core Mahogany door, leaped all round and with superior quality plywood on both faces sizes 900x2400mm high, with 400mm high fanlight above to approval by P.M				
C	Size 1800 x 2100 mm high door	No.	18		
D	Ditto 900x2100mm high	No.	44		
	<u>All in mahogany hardwood or any other equal and approved</u>				
A	150mm x 50mm door frame once rebated	m	368		

B	20 x 25mm high thick quadrant plugged	m	351		
C	40 x 25mm thick archtrave plugged	m	351		
<u>Glazing</u>					
E	4mm thick clear sheet fanlight glass 0.1-0.5sm to doors in timber fanlight, beaded(ms)	sm	4		
<u>Carried to collection</u>					

Doors

ITEM	DESCRIPTION	UNIT	QTY	RATE	KSHS.
<u>Ironmongery</u>					
<u>Supply and fix the following ironmongery as applicable or equal and approved ironmongery with matching</u>					
A	Three lever mortice lock as "EURO" or any other equal approved with circled handle knob	Set	22		
B	100 mm long pressed Steel Butt Hinges	Prs	62		
C	32mm diametre rubber door stop	no	70		
<u>Painting and decorating</u>					
<u>Prepare and apply three coats 2-pack clear polyurathane varnish to surfaces of:</u>					
D	Timber surfaces	m2	151		
E	Surfaces 100 - 200 mm girth	m	125		
F	Surfaces not exceeding 100mm high	m	146		
<u>Prepare, prime and apply 3 coats of super gloss oil paint as "crown" or any other equal and approved to surface of</u>					
:					
G	Steel doors	m2	20		
<u>Prepare and apply 1 coats Aluminium wood primer to surface of wood before fixing</u>					
H	Surfaces 100-200mm high	m	125		

I	Surfaces not exceeding 100mm high	m	146		
	<u>Carried to collection</u>				
	<u>COLLECTION</u>				
	Page No. 1/6				
	Page No. 2/6				
	<u>TOTAL FOR DOORS CARRIED TO SUMMARY</u>			KSHS.	

Doors

ITEM	DESCRIPTION	UNIT	QTY	RATE	KSHS.
	<u>BILLS OF QUANTITIES</u>				
	<u>ELEMENT NO.7</u>				
	<u>FINISHES</u>				
	<u>Floor Finishes</u>				
A	15mm Thick cement sand(1:3) backing screed to receive terrazzo/ceramic tiles(m.s)	m2			
			1,285		
B	8mm thick 450 x450mm light blue coloured non slip floor"SAJ & RAK" tiles or any other equal and approved	m2			
			1,285		
C	8 x 75mm high ditto skirting	m			
			487		
	<u>EPOXY RESIN FLOOR</u>				
D	Supply and install Beck Bond SLF 36 Epoxy Resin, 6mm thick multi components self levelling designed for concrete floors to Delivery Room and both theatres	M2			
			96		
	<u>Walls Finishes</u>				
E	12mm thick gauged plaster cement sand lime 1:1:6 with a smooth float to walls internally	m2			
			1,767		
F	Ditto to reveals and jambs	m2			
			10		
G	tiles(ms)	m2			
			275		
H	6mm thick ceramic wall tiles as "SAJ & RAK" or any other equal and approved size 200 x 250mm high	m			
			275		
	<u>Externally</u>				

I	12mm thick gauged cement sand render 1:2 finished with a wood float to, wall, columns and beams externally	m2	100		
J	Ditto to columns	m2	30		
Carried to Collection				Kshs.	

Finishes

ITEM	DESCRIPTION	UNIT	QTY	RATE	KSHS.
A	Ditto to reveals and jambs	m2	30		
B	Pointing, jointing in cement sand mortar 1:3 and wire brushing dressed stone externally to approval by P.M	m2	1,107		
<u>Ceiling</u>					
C	Approved Softboard ceiling fixed to brandering	m2	1,318		
D	10 x 75mm ditto cornice plugged and nailed to battens	m	487		
E	Extra-over ditto in access door size 450 x 600mm including framing in 75 x 50mm sawn cypress	no	2		
<u>Brandering</u>					
F	50 x 50mm sawn cypress brandering	m	3,295		
G	50 x 75mm ditto	m	3,295		
<u>Carried to Collection</u>				Kshs.	
<u>COLLECTION</u>					
Page No. 1/7					
Page No. 2/7					
<u>TOTAL FOR INTERNAL FINISHES CARRIED TO SUMMARY</u>				KSHS.	

Finishes

ITEM	DESCRIPTION	UNIT	QTY	RATE	KSHS.
<u>BILLS OF QUANTITIES</u>					
<u>ELEMENT NO.8</u>					

	<u>Prepare and apply 3 coats permaplast long lasting exterior first grade plastic emulsion paint as "crown;; or any other equal and</u>				
	<u>approved paint to:</u>				
A	Rendered surfaces externally	m2	100		
B	Ditto to columns	m2	30		
C	Ditto Reveals and jambs	m2	30		
D	<u>Prepare and apply 3 coats smooth velvet emulsion paint as "crown;; or any other equal and approved paint to:</u>				
E	Plastered walls	m2	1,767		
F	Ditto Reveals and jambs	m2	30		
G	Soft board Ceiling	m2	1,318		
	<u>TOTAL FOR PAINTING CARRIED TO SUMMARY</u>			KSHS.	

Paint Work

ITEM NO.	DESCRIPTION	AMOUNT	CTS.
	<u>SUMMARY</u>		
1	DEMOLITIONS		
2	SUBSTRUCTURES		
3	RC SUPERSTRUCTURE		
4	WALLING		
5	ROOF		
6	WINDOWS		
7	DOORS		
8	FINISHES		
9			

	PAINT WORKS		
	<u>TOTAL FOR MATERNITY AND THEATRE BLOCK CARRIED TO MAIN SUMMARY</u>		

Summary

ITEM NO.	DESCRIPTION	UNIT	QTY.	KSHS.
	<u>BILLS OF QUANTITIES</u>			
	<u>PRIME COST AND PROVISIONAL SUMS</u>			
	<u>PRIME COST SUMS</u>			
A	Allow a Prime Cost Sum of Kenya Shillings Fifteen Million Only for Mechanical Works (Sanitary Fitting and Plumbing Work)			
			Sum	15,000,000
B	Allow a Prime Cost Sum of Kenya Shillings Nine Million for Electrical Works			
			Sum	9,000,000
C	Allow a Provisional Sum of Kenya Shillings Four Hundred Thousand only Project Management			
			Sum	400,000
D	Allow a Provisional Sum of Kenya Shillings Two Million only Contingency			
			Sum	2,000,000
E	Allow a Provisional Sum of Kenya Shillings Thirty Thousand Only For Environmental Impact Assessment Report			
			Sum	30,000
	TOTAL FOR PRIME COST AND PROVISIONAL			
	<u>SUMS CARRIED TO SUMMARY</u>			
		KSHS.		26,430,000

--	--	--	--

ITEM NO.	DESCRIPTION	AMOUNT SHS.	CTS.
	<u>PROPOSED CONSTRUCTION OF THEATRE AT PAP ONDITI HOSPITAL</u>		
	<u>MAIN SUMMARY</u>		
1	PRELIMINARIES		
2	MATERNITY AND THEATRE BLOCK		
3	PRIME COST AND PROVISIONAL SUM		
	GRAND TOTAL (INCLUSIVE 16 VAT%)		

CONTRACTOR:

.....

.....

.....

.....

SIGNATURE:

DATE:

APPENDIX TO CONDITIONS OF CONTRACT

Name of Employer: Chief Officer
DEPARTMENT OF HEALTH AND SANITATION
COUNTY GOVERNMENT OF KISUMU
P.O BOX 2738 - 40100.
KISUMU,

Name of Employer's Representative: **THE CHIEF OFFICER, ROADS TRANSPORT AND PUBLIC WORKS, P.O. BOX 2738-40100, KISUMU**

Name of Project Manager: **THE DIRECTOR PUBLIC WORKS**

The name of Contract is: **PROPOSED THEATRE AT PAP ONDITI HOSPITAL**

Tender No:

Scope of the Works: **AS PER BILLS OF QUANTITIES IN THIS TENDER DOCUMENT, AND THE CONTRACT AGREEMENT**

The Tender Opening Date and Time will be on 19TH February 2021 at **12:00Noon** at (**PROSPERITY HOUSE, FORMER NYANZA HEADQUARTERS**) The Start Date shall be as stated in the Project Manager's Notice to commence work.

The Intended Completion period for the whole of the Works shall be from the date of commencement.

The Site Possession Date shall be the date site is handed over to the Contractor by the Project Manager. The Site is located at **KISUMU COUNTY** The Defects Liability Period is 6

MONTHS

The Contractor shall submit a revised program for the Works within ____7____ days of delivery of the Letter of Acceptance.

The Site Possession Date shall be _____ *Not later than **14** days after signing of Contract Agreement failure to which the project stands terminated* _____

Amount of Tender Security is Kshs (2% of the Tender Price) in the Form of Tender Security or a Banker's Cheque, from a reputable Commercial Bank, to the Employer.

The amount of Performance Security is 10% of CONTRACT PRICE in form of a Performance bank Guarantee, from a reputable Commercial Bank, acceptable to the Employer.

Retention Money will be 10% of the INTERIM CERTIFICATE with a limit of 10% of the Contract Price or such other sum as shall become payable. SECTION VIII –

Section

STANDARD FORMS

(i)	Form of Invitation for Tender.....	158
(ii)	Form of Tender.....	159
(iii)	Appendix to form tender.....	160
(iii)	Qualification Information.....	161
	1. Individual Tenderers.....	163
	2. Joint Ventures.....	164
	3. Line of Credit.....	165
	4. Declaration form.....	166
	5. Details of Contractor's Experience...	167
	6. Details of Ongoing Projects.....	168
	7. Schedule of Key Personnel.....	169
	8. Details of Subcontractors.....	170
	9. Schedule of Plants and Equipment..	171
(iv)	Tender Questionnaire.....	172
(v)	Confidential Business Questionnaire.....	173-174
(vi)	Schedule of Particulars.....	175
	1. Particulars of Firm.....	175
	2. Particulars of Insurance.....	177
(vi)	Certificate of Bidder's Pre-site Visit.....	177

(I) FORM OF INVITATION FOR TENDER

_____ [date]

To: _____ [name of Contractor]
_____ [address]

Dear Sirs:

Reference: _____ [Contract Name]

You have been prequalified to tender for the above project.

We hereby invite you and other prequalified tenderers to submit a tender for the execution and completion of the above Contract.

A complete set of tender documents may be purchased by you from _____

_____ [mailing address, cable/telex/facsimile numbers].

Upon payment of a non-refundable fee of Kshs _____

All tenders must be accompanied by _____ number of copies of the same and a security in the form and amount specified in the tendering documents, and must be delivered to

_____ [address and location]

at or before _____ (time and date). Tenders will be opened immediately thereafter, in the presence of tenderers' representatives who choose to attend.

Please confirm receipt of this letter immediately in writing by cable/facsimile or telex.

Yours faithfully,

_____ Authorized Signature

_____ Name and Title

(II) FORM OF TENDER

TO: _____ [Name of Employer] _____ [Date]
_____ [Name of Contract]

Dear Sir,

1. In accordance with the Conditions of Contract, Specifications, Drawings and Bills of Quantities for the execution of the above named Works, we, the undersigned offer to construct, install and complete such Works and remedy any defects therein for the sum of Kshs. _____ [Amount in figures] Kenya Shillings _____ [Amount in words]
2. We undertake, if our tender is accepted, to commence the Works as soon as is reasonably possible after the receipt of the Project Manager’s notice to commence, and to complete the whole of the Works comprised in the Contract within the time stated in the Appendix to Conditions of Contract.
3. We agree to abide by this tender until _____ [Insert date], and it shall remain binding upon us and may be accepted at any time before that date.
4. Unless and until a formal Agreement is prepared and executed this tender together with your written acceptance thereof, shall constitute a binding Contract between us.
5. We understand that you are not bound to accept the lowest or any tender you may receive.

Dated this _____ day of _____ 2017

Signature _____ in the capacity of _____

duly authorized to sign tenders for and on behalf of

_____ [Name of Tenderer]

of _____ [Address of Tenderer]

Witness; Name _____

Address _____

Signature _____

Date _____

(III) APPENDIX TO FORM OF TENDER

(This Appendix forms part of the Tender)

CONDITIONS OF CONTRACT	CLAUSE	AMOUNT
------------------------	--------	--------

Bid Security (Bank Guarantee or Insurance)		2% of the tender sum
Amount of Performance Security (Unconditional Bank Guarantee)	10.1	10%
Submission of Performance Security		Submitted by the 14th day from the date of award letter
Work Programme to be submitted	14.1	Not later than 7 (seven) days after contract signing & Issuance of Order to Commence
Cash flow estimate to be submitted	14.3	Not later than 14 (fourteen) days after issuance of Order to Commence
Minimum amount of Contractors All Risk Insurance Cover	23.2	0.3% of the Contract Price
Submission of Contractors All Risk Insurance Cover		Submitted by the 14th day from the date of award letter
Period for commencement, from Engineer's order to commence	41.1	14 days
Time for completion	43.1	12 Weeks
Advance Payment	60.12	N/A
Amount of liquidated damages	47.1	0.1 % of the contract price per day.
Limit of liquidated damages	47.1	5% of Contract Value
Defects Liability period	49.1	6 months
Percentage of Retention	60.3	10% of Interim Payment Certificate
Limit of Retention Money	60.3	10% of Contract Price
Minimum amount of interim certificates	60.2	Kshs. 500,000 for projects above this amount
Appointer of Arbitrator	67(3)	The Chartered Institute of Arbitrators – Kenya Branch.
Notice to Employer and Engineer	68.2	The Employer's address is: The Chief Officer Department of Health And sanitation County Government of Kisumu P.O. Box 2378-40100 KISUMU The Project Manager's address is: Director Public Works County Government of Kisumu P.O. Box 2378-40100 KISUMU

Signature of Tenderer.....

Date..... (IV)

OTHER SUPPLEMENTARY INFORMATION

- 1. Financial reports for the last three years, balance sheets, profit and loss statements, auditors' reports etc. List them below and attach copies.

.....

- 2. Evidence of access to financial resources to meet the qualification requirements. Cash in hand, lines of credit etc. List below and attach copies of supporting documents (bank to fill attached form).

.....

- 3. Name, address, telephone, telex, fax numbers of the Tenderer's Bankers who may provide reference if contacted by the Employer.

.....

- Submit copies of audited profit and loss statements and balance sheet for the last three calendar years and estimated projection for the next two years with certified English translation where appropriate.
- Give turnover figures for each of the last three (3) financial years. Quote in millions and decimal thereof.

Type of \Work	Year	Year	Year
	Kshs.	Kshs.	Kshs.
Building works			
Other civil engineering works			
Other (specify)			
Total			

**SUMMARY OF ASSETS AND LIABILITIES OF THE AUDITED
 FINANCIAL STATEMENTS OF THE LAST THREE (3) FINANCIAL
 YEARS**

	Year	Year	Year
	Kshs.	Kshs.	Kshs.
1. Total Assets			
2. Current Assets			
3. Bank credit Line Value			
4. Total Liabilities			
5. Current Liabilities			
6. Net worth (1-4)			
7. Working capital (2+3-4)			

Name/Address of Commercial Bank providing credit line
Total amount of credit line KShs.....

Attach certified copies of financial bank statements of the last three years.
Attach a certified copy of Undertaking of the Bank to providing the credit.

Information on current litigation in which the Tenderer is involved.

OTHER PARTY (IES)	CAUSE OF DISPUTE	AMOUNT INVOLVED (KSHS)

I certify that the above information is correct.

.....
Name/Title

.....
Signature

.....
Date

(V) QUALIFICATION INFORMATION

1. Individual Tenderers or Individual Members of Joint Ventures

1.1 Constitution or legal status of tenderer (attach copy or Incorporation Certificate);
Place of registration: _____

Principal place of business _____

Power of attorney of signatory of tender _____

1.2 Total annual volume of construction work performed in the last five years

YEAR	VOLUME	
	CURRENCY	VALUE

1.3 Work performed as Main Contractor on works of a similar nature and volume over the last five years. Also list details of work under way or committed, including expected completion date.

[Fill in the Details as described in the Table attached on Pages S-6 and S-7]

1.4 Major items of Contractor's Equipment proposed for carrying out the Works. List all information requested in the table provided.

[Fill in the Details as described in the Table attached on Page S-10]

1.5 Qualifications and experience of key personnel proposed for administration and execution of the Contract.

[Fill in the Details as described in the Table attached on Page S-8]

1.6 .

1.7 Statement of compliance with the requirements of Clause 1.2 of the Instructions to Tenderers.

- 1.8 Proposed program (work method and schedule) for the whole of the Works.
Attached a detailed proposed work plan for the execution of the Works described.

2 Joint Ventures

- 2.4 The information listed in 1.1 – 1.10 above shall be provided for each partner of the joint venture.
- 2.5 The information required in 1.11 above shall be provided for the joint venture.
- 2.6 Attach the power of attorney of the signatory(ies) of the tender authorizing signature of the tender on behalf of the joint venture
- 2.7 Attach the Agreement among all partners of the joint venture (and which is legally binding on all partners), which shows that:
- a) all partners shall be jointly and severally liable for the execution of the Contract in accordance with the Contract terms;
 - b) one of the partners will be nominated as being in charge, authorized to incur liabilities and receive instructions for and on behalf of any and all partners of the joint venture; and
 - c) the execution of the entire Contract, including payment, shall be done exclusively with the partner in charge.

2. **LETTER OF CREDIT**

To:

The Chief Officer,
Department of Health and sanitation
County Government of Kisumu,
P.O. Box 2738 -40100,
Kisumu.

RE: LINE OF CREDIT FOR (CONTRACT DETAILS)

Reference is made to inquiry from our Customer of P.O. Box in regard to line of Credit for financing above tender. We wish to state as following.

1. M/S(name of tender) has satisfactorily conducted an account dominated in Kenya Shillings with us for a period of more than one year.
2. Currently the above named Customer enjoys
 1. A Bank Overdraft facility of Kshs
 2. A bank loan of Kshs
3. As per the prudential norms for Financing which MUST be fulfilled by our customer, we are in a position to provide a line of credit to M/s (tenderer name) for Kshs

This information is given in strict confidence, and without any guarantee or liability on the part of the bank or any of its officers.

Yours Faithfully

Bank Authorised Signatory

3. DECLARATION FORM

Date To:

The Chief Officer
Department of Health and sanitation
County Government of Kisumu,
P.O. Box 2738 -40100
kisumu

The tenderer i.e. (name and address)_____

declare the following:_____

- a) Has not been debarred from participating in public procurement.
- b) Has not been involved in and will not be involved in corrupt and fraudulent practices regarding public procurement.

Name/Title Signature Date

(To be signed by authorized representative and officially stamped)

4. DETAILS OF CONTRACTOR'S EXPERIENCE

In the table below, give a brief summary of the Company's major Road Works carried out and completed in the last FIVE years. The works listed should be similar to the Works described in this tender.

DESCRIPTION OF WORKS, CLIENT AND CONTACT PERSON	TOTAL VALUE OF WORKS (KSH.)	CONTRACT PERIOD (YEARS)	YEAR COMPLET ED
--	--	--	--------------------------------

--	--	--	--

Note: Attach relevant documentary evidence.

I certify that the above Works were successfully carried out and completed by ourselves.

.....
(Title)

.....
(Signature)

.....
(Date)

5. DETAILS OF ONGOING PROJECTS

In the table below, give a brief summary of the Company's major Road Works that are currently ongoing. The works listed should be similar to the Works described in this tender.

DESCRIPTION OF WORKS, CLIENT AND CONTACT PERSON	CONTRACT PERIOD	DATE OF COMMENCEMENT	INTENDED DATE OF COMPLETION	TOTAL VALUE OF WORKS	% COMPLETED TO DATE
--	------------------------	-----------------------------	------------------------------------	-----------------------------	----------------------------

--	--	--	--	--	--

Note: Attach relevant documentary evidence.

I certify that the above Road Works are being carried out by ourselves and that the above information concerning them is correct.

.....
(Title)

.....
(Signature)

.....
(Date)

6. SCHEDULE OF KEY PERSONNEL

*In the table below, give the details of the Tenderer's Key **Technical Personnel** who will be responsible for the major activities of the works described in this tender, both at the Headquarters and at the Site.*

DESIGNATION	NAME	NATIONA-LITY	SUMMARY OF QUALIFICATIONS AND EXPERIENCE
--------------------	-------------	---------------------	---

--	--	--	--

Note: Attach the CVs of the Key Personnel.

I certify that the above information is correct.

.....
(Title)

.....
(Signature)

.....
(Date)

7. DETAILS OF SUB-CONTRACTORS

If the Tenderer wishes to sublet any portions of the works under any heading, he must give below the details of the sub-contractors he intends to employ for each portion.

Failure to comply with this requirement may invalidate the tender.

FULL NAME AND ADDRESS OF THE SUBCONTRACTOR	PORTION OF WORKS TO BE SUB-CONTRACTED AND CONTRACT VALUE	SUB-CONTRACTOR'S EXPERIENCE IN SIMILAR WORKS

Note: Attach relevant evidence.

I certify that the above information is correct.

.....
(Title)

.....
(Signature)

.....
(Date)

17. SCHEDULE OF PLANT AND EQUIPMENT

PARTICULARS OF EACH UNIT	TYPE/RATING	SERIAL NO. & REG. NO.	YEAR OF MANUFACTURE	WHERE MADE	VALUE	OWNERSHIP				PRESENT LOCATION	WEEK WHEN AVAILABLE ON SITE
						OWNED <i>(Give SR. No. and Reg. No)</i>	TO HIRE <i>(Give name and address of Owner)</i>	HIRE PURCHASE <i>(Give details as stated in the Footnote)</i>	PURCHASE <i>(Give details as stated in the Footnote)</i>		

Note *Details of each machine/equipment in more than one of the same make or type must be given separately. Items to be imported pursuant to the conditions of contract to be indicated together with seller's name, address and CIF value. Details of proposed hire or hire purchase to be submitted giving names and addresses of hiring/selling party and serial number/engines number.

**Before the award of Contract, the Project Manager may carry out physical verification of the availability of the plant and equipment listed on the schedule

2 (IV) TENDER QUESTIONNAIRE

Please fill in **BLOCK LETTERS**.

1. Full names of Tenderer [Name of the Firm]
.....
.....

2. Full address of Tenderer to which tender correspondence is to be sent (unless an agent has been appointed below)
.....
.....
.....

3. Telephone/Cellphone number (s) of Tenderer
.....
.....

4. Telex/Fax address of Tenderer
.....
.....

5. Name of Tenderer's Representative to be contacted on matters of the Tender during the tender period
.....

6. Details of tenderer's nominated agent (if any) to receive tender notices. This is essential if the tenderer does not have his registered address in Kenya (name, address, telephone, telex)
.....
.....

Signature of Tenderer

Make copy and deliver to: _____
(Name of Employer)

(V) CONFIDENTIAL BUSINESS QUESTIONNAIRE

You are requested to give the particulars indicated in Part 1 and either Part 2(a), 2(b) or 2(c) and 2(d) whichever applies to your type of business.

You are advised that it is a serious offence to give false information on this Form. **Part 1 – General**

Business Name

Location of business premises; Country/Town.....

Plot No..... Street/Road

Postal Address..... Tel No.....

Nature of Business.....

Current Trade Licence No..... Expiring date.....

Maximum value of business which you can handle at any time: K. pound.....

Name of your bankers.....

Branch.....

Part 2 (a) – Sole Proprietor

Your name in full..... Age.....

Nationality..... Country of Origin.....

*Citizenship details

Part 2 (b) – Partnership

Give details of partners as follows:

<i>Name in full</i>	<i>Nationality</i>	<i>Citizenship Details</i>	<i>Shares</i>
---------------------	--------------------	----------------------------	---------------

1.....			
--------	--	--	--

2.....			
--------	--	--	--

3.....			
--------	--	--	--

Part 2(c) – Registered Company:

Private or public.....

State the nominal and issued capital of the Company-

Nominal Kshs.....

Issued Kshs.....

Give details of all directors as follows:

Name in full . Nationality. Citizenship Details*. Shares.

1.

2.

3.

4.

Part 2(d) – Interest in the Firm:

Is there any person / persons in(Name of Employer) who has interest in this firm? Yes/No.....(Delete as necessary)

I certify that the information given above is correct.

.....
(Title)

.....
(Signature)

.....
(Date)

Attach proof of citizenship

(VI) SCHEDULE OF PARTICULARS

1. PARTICULARS OF FIRM

<i>Name of Company:</i>	
<i>Postal Address:</i>	
<i>Physical Address:</i>	

<i>Tel. Nos.</i>
<i>Fax No.</i>
<i>E-mail:</i>
<i>Full names of Directors and their citizenship:</i>	
<i>Registered Office, address and Telephone/Cellphone No.</i>	
<i>Workshop, Yard, Stores address:</i>	
<i>Type of services the Company provides:</i>	
<i>Registration with Government Departments:</i>	
<i>Name and address of Company's bankers:</i>	
<i>Statements by Company's bankers on financial status (attach copy):</i>	

Date:

Signed:

2. PARTICULARS OF INSURANCE

<i>Sn</i>	<i>Type of Insurance</i>	<i>Name of Company</i>	<i>Registered Address</i>
<i>1</i>	<i>Insurance of Works</i>		
<i>2</i>	<i>Plant and Machinery</i>		
<i>3</i>	<i>Public Liability</i>		
<i>4</i>	<i>Workmen's Compensation</i>		

5	<i>Employer's Liability</i>		
6	<i>Personal Accident</i>		

NOTE: Certified photocopies of the relevant insurance policies should accompany these particulars.

Date:

Signed:

CERTIFICATE OF BIDDER'S VISIT TO SITE

This is to certify that

[Name/s].....

.....

Being the authorized representative/Agent of [Name of bidder]

.....

.....

participated in the organised inspection visit of the site of the works for the



held on.....day of.....20.....

Signed.....

(Employer's Representative)

.....

(Name of Employer's Representative)

.....

(Designation)

NOTE: This part is to be completed at the time of the organized site visit.

Project Name:	
------------------	--

1. This check list is for Sub-County Engineer to check contractor's work execution process.
2. Fill in date of checking as (day/month), mark as indicated in Filling Example, and state remarks.
3. Put this check list in the Monthly Progress Report.

Item		before	During execution							
			Date	Date	Date	Date	Date	Date	Date	Date
	Check Point	/	/	/	/	/	/	/	/	/

1	Execution system in general	1-1	Works Execution Programme (including its revised version if any) is submitted before the date specified in contract document	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		1-2	Works Execution Programme properly reflects the given specifications and site conditions	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	1-										

		3	Execution procedures are in accordance with Works Execution Programme		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Equipment holding	2-1	All equipment used are properly mobilized in accordance with Works Execution Programme		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		2-2	All equipment used is well maintained during the execution of works		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3 COU	Contractor's in-house staff NTY GOV	3ERN1	Qualified technical staff of contractor are properly assigned as specified in Works Execution Programme MENT OF KISUMU		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

80

Contractor's in-house

LETTER OF ACCEPTANCE [Letterhead paper of the Employer]

_____ [date]

To: _____
[name of the Contractor]

[address of the Contractor]

Dear Sir,

This is to notify you that your Tender dated _____ for
the execution of _____
[name of the Contract and identification number, as given in the Tender documents] for the Contract
Price of Kshs. _____ [amount in figures][Kenya
Shillings _____ (amount in words)] in accordance with the Instructions to
Tenderers is hereby accepted.

You are hereby instructed to proceed with the execution of the said Works in accordance with the Contract documents.

Authorized Signature

Name and Title of Signatory

Attachment : Agreement

FORM OF AGREEMENT

THIS AGREEMENT, made the _____ day of _____ 20 _____
between _____ of [or whose registered office is
situated at] _____ (hereinafter called —the
Employer) of the one part AND
_____ of [or whose registered office
is situated at] _____ (hereinafter called —the
Contractor) of the other part.

WHEREAS THE Employer is desirous that the Contractor executes

_____ (*name and identification number of Contract*) (hereinafter called —the Works) located
at _____ [*Place/location of the Works*] and the Employer has accepted the
tender submitted by the Contractor for the execution and completion of such Works and the remedying
of any defects therein for the Contract Price of
Kshs _____ [*Amount in figures*], Kenya
Shillings _____ [*Amount in words*].

NOW THIS AGREEMENT WITNESSETH as follows:

1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2. The following documents shall be deemed to form and shall be read and construed as part of this Agreement i.e.
 - (i) Letter of Acceptance
 - (ii) Form of Tender
 - (iii) Conditions of Contract Part I

- (iv) Conditions of Contract Part II and Appendix to Conditions of Contract
- (v) Specifications
- (vi) Drawings
- (vii) Priced Bills of Quantities

3. In consideration of the payments to be made by the Employer to _____ the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all respects with the provisions of the Contract.
4. The Employer hereby covenants to pay the Contractor in _____ consideration of the execution and completion of the Works and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

The common Seal of _____

Was hereunto affixed in the presence of _____

Signed Sealed, and Delivered by the said _____

Binding Signature of Employer _____

Binding Signature of Contractor _____

In the presence of (i) Name _____

Address _____

Signature _____

[ii] Name _____

Address _____

Signature _____

FORM OF TENDER SECURITY

WHEREAS(hereinafter called —the Tenderer) has submitted his tender dated for the construction of
..... (name of Contract)

KNOW ALL PEOPLE by these presents that WE having our registered office at(hereinafter called —the Bank), are bound unto(hereinafter called —the Employer) in the sum of Kshs..... for which payment well and truly to be made to the said Employer, the Bank binds itself, its successors and assigns by these presents sealed with the Common Seal of the said Bank this Day of20.....

THE CONDITIONS of this obligation are:

1. If after tender opening the tenderer withdraws his tender during the period of tender validity specified in the instructions to tenderers
Or
2. If the tenderer, having been notified of the acceptance of his tender by the Employer during the period of tender validity:
 - (a) fails or refuses to execute the form of Agreement in accordance with the Instructions to Tenderers, if required; or
 - (b) fails or refuses to furnish the Performance Security, in accordance with the Instructions to Tenderers;

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including thirty (30) days after the period of tender validity, and any demand in respect thereof should reach the Bank not later than the said date.

[date]

[signature of the Bank]

[witness]

[seal]

PERFORMANCE BANK GUARANTEE

To:

_____ (Name of Employer)

_____ (Date)

_____ (Address of Employer)

Dear Sir,

WHEREAS _____ (hereinafter called —the Contractor) has undertaken, in pursuance of Contract No. _____ dated _____ to execute _____ (hereinafter called —the Works);

AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee by a recognised bank for the sum specified therein as security for compliance with his obligations in accordance with the Contract;

AND WHEREAS we have agreed to give the Contractor such a Bank Guarantee:

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Contractor, up to a total of Kshs. _____ (amount of Guarantee in figures) Kenya Shillings _____ (amount of Guarantee in words), and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of Kenya Shillings _____ (amount of Guarantee in words) as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the Contractor before presenting us with the demand.

We further agree that no change, addition or other modification of the terms of the Contract or of the Works to be performed thereunder or of any of the Contract documents which may be made between you and the Contractor shall in any way release us from any liability under this Guarantee, and we hereby waive notice of any change, addition, or modification.

This guarantee shall be valid until the date of issue of the Certificate of Completion.

SIGNATURE AND SEAL OF THE GUARANTOR _____

Name of Bank _____

Address _____

Date _____

BANK GUARANTEE FOR ADVANCE PAYMENT

To: _____ [name of Employer] _____ (Date)
_____ [address of Employer]

Gentlemen,

Ref: _____ [name of Contract]

In accordance with the provisions of the Conditions of Contract of the above-mentioned Contract, We, _____ [name and Address of Contractor] (hereinafter called —the Contractor) shall deposit with _____ [name of Employer] a bank guarantee to guarantee his proper and faithful performance under the said Contract in an amount of Kshs. _____ [amount of Guarantee in figures] Kenya Shillings _____ [amount of Guarantee in words].

We, _____ [bank or financial institution], as instructed by the Contractor, agree unconditionally and irrevocably to guarantee as primary obligator and not as Surety merely, the payment to _____ [name of Employer] on his first demand without whatsoever right of objection on our part and without his first claim to the Contractor, in the amount not exceeding Kshs _____ [amount of Guarantee in figures] Kenya Shillings _____ [amount of Guarantee in words], such amount to be reduced periodically by the amounts recovered by you from the proceeds of the Contract.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed thereunder or of any of the Contract documents which may be made between _____ [name of Employer] and the Contractor, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

No drawing may be made by you under this guarantee until we have received notice in writing from you that an advance payment of the amount listed above has been paid to the Contractor pursuant to the Contract.

This guarantee shall remain valid and in full effect from the date of the advance payment under the Contract until _____ (name of Employer) receives full payment of the same amount from the Contract.

Yours faithfully,

Signature and Seal _____

Name of the Bank or financial institution _____

Address _____

Date _____

Witness: Name: _____

Address: _____

Signature: _____

Date: _____

STATEMENT OF

FOREIGN CURRENCY REQUIREMENTS

(See Clause 23] of the Conditions of Contract)

In the event of our Tender for the execution of _____
_____ (*name of Contract*) being accepted, we would require in
accordance with Clause 21 of the Conditions of Contract, which is attached hereto, the
following percentage:

(Figures)..... (Words).....

of the Contract Sum, (Less Fluctuations) to be paid in foreign currency.

Currency in which foreign exchange element is required:

.....

Date: The Day of 20.....

Enter 0% (zero percent) if no payment will be made in foreign currency.

Maximum foreign currency requirement shall be _____ (percent) of the Contract Sum,
less Fluctuations.

(Signature of Tenderer)

DETAILS OF SUB-CONTRACTORS

If the Tenderer wishes to sublet any portions of the Works under any heading, he must give below details of the sub-contractors he intends to employ for each portion.

Failure to comply with this requirement may invalidate the tender.

(1) Portion of Works to be sublet:

[i] Full name of Sub-contractor
and address of head office:

.....

[ii] Sub-contractor's experience of similar works carried out in the last
3 years with
Contract value:

.....

.....

(2) Portion of Works to sublet:

[i] Full name of sub-contractor
and address of head office:

.....

.....

[ii] Sub-contractor's experience of similar works carried out in the last
3 years with
contract value:

.....

[Signature of Tenderer)

Date

LETTER OF NOTIFICATION OF AWARD

For

To: _____

RE: Tender No

Tender Name _____

This is to notify that the contract/s stated below under the above mentioned tender have been awarded to you.

1. Please acknowledge receipt of this letter of notification signifying your acceptance.
2. The contract/contracts shall be signed by the parties within 30 days of the date of this letter but not earlier than 14 days from the date of the letter.
3. You may contact the officer(s) whose particulars appear below on the subject matter of this letter of notification of award.

(FULL PARTICULARS) _____

For Chief Officer

FORM RB 1 REPUBLIC OF KENYA PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD

APPLICATION NO.....OF.....20.....

BETWEENAPPLICANT AND

.....RESPONDENT (*Procuring Entity*)

Request for review of the decision of the..... (*Name of the Procuring Entity*) of
.....dated the...day of20.....in the matter of Tender No.....of
.....20...

REQUEST FOR REVIEW

I/We.....,the above named Applicant(s), of address: Physical address.....Fax
No.....Tel. No.....Email, hereby request the Public

Procurement Administrative Review Board to review the whole/part of the above mentioned decision on
the following grounds , namely:-

- 1.
- 2. etc.

By this memorandum, the Applicant requests the Board for an order/orders that: -

- 1.
- 2. etc

SIGNED(Applicant)

Dated on.....day of/...20...

FOR OFFICIAL USE ONLY

Lodged with the Secretary Public Procurement Administrative Review Board on day of
.....20.....

SIGNED
Board Secretary
COUNTY GOVERNMENT OF KISUMU

